

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.





Notice to Customers

We would say to those unacquainted with us that we have 300 acres devoted to the business; our methods of growing and handling stock are up to date. We solicit correspondence and personal inspection of our stock, confident that it will compare favorably with the best.

References—For those who do not know us, we refer to any leading nurseryman in the United States, Dun and Bradstreet's Mercantile Agencies.

Prices—This list is intended for nurserymen and dealers only, and supersedes all previous editions. The prices are for the quantities named; 250, 25 and 5 will be furnished at the 1000, 100 and 10 rates respectively. We have tried to make our prices as low as we think well-grown stock should be sold. We expect, however, to sell on the market and meet reliable competition.

Terms—We are glad to grant 30 to 60 days time for payment of bills to all responsible parties, but parties we do not know, who have no commercial rating, must send remittance with order, or guarantee signed by some bank or someone of known responsibility to be sure of securing goods selected. If references are sent, we will confer with them and after hearing favorably, if goods selected are still unsold, we will enter them as requested, but we will

not enter orders or ship goods until we know the customer is responsible. We will not hold goods on inquiries.

Trees selected by the customer at the nursery will be charged in accordance with their value.

Packing—This is done in boxes and bales, for which a charge is made sufficient to remunerate for the cost of material only. Trees packed in bulk at no extra charge.

Complaints—Should there be any reason for complaint, we must be notified on receipt of goods, otherwise we cannot entertain it. We make it a point to give all reasonable claims proper consideration.

Orders—Are accepted on condition that they shall be void should any injury befall the stock from frost, or other cause over which we have no control.

Varieties—We reserve the right to select the varieties, but will give the purchaser his choice as far as is consistent with our stock. In ordering please state whether or not substitution will be permitted in case we should be short of any sort wanted.

Guarantee of Genuineness—While we exercise the greatest care to have all our trees and plants genuine and reliable, and hold ourselves prepared to replace on proper proof, all trees that prove untrue, we do not give any warrantee, express or implied; and in case of any error on our part, it is mutually agreed between the purchaser and ourselves that we shall not at any time be held responsible for a greater amount than the original price of the stock.

We guarantee all our stock to be in good condition on leaving our hands, but we do not guarantee it to grow under all conditions, nor do we make up any loss whatever due to climate effects, or after culture on the part of the purchaser, and the risks of transportation are to be borne by the purchaser.

TO OUR CUSTOMERS—On all orders placed with us, stock is sold at the nurseries without freight allowance. The plants become your property upon delivery of them to the Transportation Co., and we cannot be responsible for loss, damage or delay in transit. Your recourse is with the Transportation Co., and not with us. If plants arrive in bad condition, before receipting for them, require the Station Agent to note same on the freight or express receipt, then make your claim on the Transportation Co. If you accept shipments short of what is enumerated on your invoice or in bad condition without proper notation on freight or express receipt, the loss will be yours. Every assistance in our power will be cheerfully rendered you to trace and recover lost goods and collect damages.

Boxing-Boxing cost is charged on the following basis:

A State Entomologist inspection certificate will accompany each shipment.

Deciduous Trees

NOTE—The figures in italics, following each variety, indicate in feet the approximate height of that plant when mature. It must be understood, however, that many varieties in their native habitant greatly exceed this height, but soil and climatic conditions modify their growth and character to a variable extent, and allowance for this has been made in the heights given here.

Each Per 10

ACER dasycarpum. Silver Maple. 60'-80' Quick growing, graceful. Leaves silvery underneath—clear yellow autumn coloring.

8	to	10 ft	\$. 90	\$7.50
8	to	10 ft., 1 ½ in	1.10	10.00
10	to	11 ft., 1½ in	1.50	14.00
10	to	12 ft., 1 ³ / ₄ in	1.75	
12	to	13 ft., 2 in	2.25	
12	to	13 ft., 2½ in	2.75	
13	to	14 ft., 2½ in	3.50	
14	to	15 ft., 3 in	4.50	
14	to	15 ft., 3½ in	6.00	

dasycarpum pyramidale. Pyramidal Silver Maple. 30'-40' A narrow form with vertical branches, useful for accent.

6	to	8 ft	1.00
8	to	10 ft	1.50
8	to	10 ft., 1½ in	2.00
9	to	10 ft., 1½ in	2.50
		11 ft., 2 in	
l 1	to	12 ft., 2½ in	3.50

dasycarpum wieri. Wier Cut Leaf Maple. 60'-80' Graceful, drooping.

8	to	10 ft., 1 ½ in	1.50	
10	to	11 ft., 1½ in	2.00	18.00
		12 ft., 1 ³ / ₄ in		22.50
12	to	13 ft., 2 in	3.50	
12	to	13 ft., 2½ in	4.50	

negundo. Box Elder. 60' Grows where other trees fail—especially good for dry barren places and seashore. Rapid grower.

8	to	10 ft	.75	
8	to	10 ft., 1½ in	1.00	
0	to	11 ft., 1½ in	1.35	12.50
		12 ft., $1\sqrt[3]{4}$ in		15.00
12	to	13 ft., 2 in		
17	to	1.4 ft 21/ in	3.00	

platanoides. Norway Maple. 50'-75' The most popular street tree, retains green leaves until late autumn, then turns rich yellow.

8	to	10 ft., 1¼ in	2.50
10	to	11 ft., 1½ in	2.75
11	to	12 ft., 1¾ in	3.50
12	to	13 ft., 2 in	4.25
12	to	14 ft., 2½ in	5.00
		14 ft., 2½ in	6.00
14	to	16 ft., 3 in	8.00
14	to	16 ft., 3½ in	10.00

platanoides schwedleri. Schwedler Purple Maple. 40'-60' Probably the best large growing purple leaf tree—useful lawn tree.

6	to	8 ft	2.00
8	to	10 ft	2.50
8	to	10 ft., 1 ½ in	3.00
10	to	11 ft., $1\frac{1}{2}$ in	3.75
11	to	12 ft., 1 ³ / ₄ in	4.50
12	to	13 ft., 2 in	6.00
13	to	14 ft 21/ in	7.50

2	F. & F. NURSERIES TRADE	LIST
ACER penns	sylvanicum (striatum). Striped Map striped with white. Thrives in we	Each Per 10 Per 100 ple. 20'-30' Green bark
	2 to 3 ft	\$.50
	3 to 4 ft	.75 1.00
	1 10 0 11111111111111111111111111111111	
pseudop	latanus. Sycamore Maple. 40'-60'	
	Quickly develops into a well-shape straight stem.	ed specimen with a clean
	10 to 11 ft 1½ in	2.00
	11 to 12 ft., 1 ¾ in	2.50
	11 to 12 ft., 134 in	3.25
	12 to 13 ft., 2½ in	4.00
	13 to 14 ft., $2\frac{1}{2}$ in	5.50
rubrum.	Red or Scarlet Maple. 50'-75' Be	est in moist locations, also
	thrives in upland. Brilliant red aut	tumn coloring.
	8 to 10 ft., 1½ in	2.35
	10 to 12 ft., 1½ in	2.75 3.50 4.25
	12 to 13 ft., 134 in	3.50
	13 to 14 ft., 2 in	4.25
	13 to 14 ft., 2¼ in	5.00
	, , , , ,	6.00
saccharu		
	Best planted in spring—rich yellow	
	8 to 10 ft	1.50
	10 to 11 ft., 1½ in	2.00
	11 to 12 ft., 1½ in	2.50 3.25
	12 to 13 ft., 1 ³ / ₄ in	4.00
	14 to 15 ft., 2 in	5.00
	15 to 16 ft., 2½ in	6.00
	16 to 18 ft., 3 in	6.00 8.00
	16 to 18 ft., 3 in	10.00
AESCULUS		40'-60' Slow growth—
	most attractive when in flower-Jun	
	10 to 12 ft., 3 in	4.00
	12 to 13 ft., 3½ in	5.00
	12 to 13 ft., 4 in	6.00
	12 to 14 ft., 5 in	8.50
		12.00
parviflor		sh Buckeye. 6'-7' Hand-
	some spreading shrub covered w flowers in July-August. Leaves sir	ith panicles of creamy
	18 to 24 in	.75
	2 to 3 ft	1.00 1.50
ATT ANICHTE		
AILANTHU	S glandulosa. Tree of Heaven. most adverse city conditions. Lar	50'-60' Succeeds under
	4 to 6 ft	.65 \$6.00 \$50.00 .75 6.50
	8 to 10 ft	1.00
	10 to 12 ft	1.50
AMYGDALI	JS persica (Prunus). Flowering Pear	
II ODALD	tive double flowering form, blooms	before leaves—red, white.
	2 to 3 ft	.45 4.00
	3 to 4 ft	.55 5.00
	4 to 5 ft	.65 6.00
	5 to 6 ft	.75
BETULA alb	oa. European White Birch. 30'-50	White bark.
	3 to 4 ft	.60
	4 to 6 ft	.75
	6 to 8 ft	1.00

	SPRINGFIELD, NEW JEF	RSEY	3
		Each	Per 10 Per 100
BETULA :	alba laciniata. Weeping Cut Leaf.	30'-40'	Graceful tree for
	3 to 4 ft	\$1.35	\$13.00
		1.50	14.50
	4 to 5 ft	1.85	18.00
	6 to 8 ft	2.25	20.00
	8 to 10 ft	2.50	24.00
alba py	yramidalis. Pyramidal White Birch.	30'-40'	Dense, columnar.
	3 to 4 ft	1.00	
	3 to 4 ft	1.50	
alba yo	oungi. Young Weeping Birch. 30'	-40' H	as spreading pen-
	dulous branches. Most graceful la 3 to 4 ft	awn spec	cimen.
	3 to 4 ft	1.50	
1	4 to 5 ft		
lenta.	conspicuous catkins in spring.	e smooti	n readish bark and
	6 to 8 ft	1.00	
	8 to 10 ft	1.50	
lutea.	Yellow Birch, 50'-70' Makes fine	windbr	eak-good foliage.
	3 to 4 ft	.60	5.00
	4 to 6 ft	.85	7.50
	6 to 8 ft	1.15	10.00
	8 to 10 ft	1.50	T
nigra.	River Birch. 50'-60' Thrives in mo	oist place	es. Its torn ragged
	bark is quite unique—very effective 3 to 4 ft	65 /65	turansuc pianung.
	4 to 6 ft	.85	
	6 to 8 ft	1.00	
	8 to 10 ft	1.50	
papyrife	era. Paper or Canoe Birch. 40'-5		
	very white when older- graceful b	oranchin _i	g habit.
	4 to 6 ft	.85 1.10	8.00 10.00 \$95.00
	8 to 10 ft	1.50	14.00
	10 to 12 ft	2.25	
populife	olia. Gray Birch. 30'-40' Will gi	row in t	poor soil and dry
F - F	places. Commonly found native	in New	Jersey.
	4 to 6 ft	.75	
	6 to 8 ft	1.00	
CARRINIC	8 to 10 ft		20/ 40/
CARPINUS	Closely resembles the beech—smooth	n Horn	grav bark
	2 to 3 ft	.35	3.00
	3 to 4 ft	.50	4.00
	2 to 3 ft	.60	5.00
betulus	. European Hornbeam. 20'-30'	Good f	or massing or a
	hedge because of its dense growth.		-like foliage.
	3 to 4 ft	.50	
	4 to 5 ft	.65 .80	
cordata	. Japanese Hornbeam. Leaves rou	ably ba	art shaned
Coruata	5 to 6 ft	1.00	ar i-snapeu.
	6 to 8 ft	1.25	
CATALPA	hungei Umbrella Catalpa 10'-1	5' Forr	nal planting.
	Medium Heads	1.25	11.50
	First Class Heads 1 ½ in. stems	1.50	14.00
	Extra Large Heads1 3/4 in. stems	1.75	
amos!	Wastern Catalan 20' 27'	2.00	
specios	a. Western Catalpa. 30'–35' 8 to 10 ft 10 to 12 ft., 2½ in	1.50	
	10 to 12 ft., 2½ in	2.00	
	- 10 12 10, =/± III	2.00	

1. 6 1. NORSERIES TRADE LIST
CEDRELA sinensis. Cedrela. 30'-40' Gives a tropical looking effect— clusters of white flowers. Will thrive under city conditions 2 to 3 ft
2 to 3 ft
CELTIS occidentalis. Hackberry. 50'-60' Similar foliage and habit as Elm
4 to 5 ft
5 to 6 ft
CERCIDIPHYLLUM japonicum. Katsura Tree. 60'-80' Develops into Beautiful spring and autumn colors.
3 to 4 ft
4 to 5 ft
CERCIS. Judas Tree. (See Shrubs)
CLADRASTIS lutea (tinctoria). Yellow Wood. 30'-40' A striking tree with long panicles of fragrant white flowers in June.
5 to 6 ft 1.50
CORNUS florida. White Flowering Dogwood. 15'-25' Among the best of the spring flowering small trees—red berries in fall.
3 to 4 ft
5 to 6 ft
8 to 10 ft
3 to 4 ft
rubra. Red Flowering Dogwood. 15'-20' The pink flowers are more persistent than the white.
18 to 24 in
2½ to 3 ft 1.50
3 to 4 ft
CRATAEGUS carrieri. Carrier Thorn. 12'-15'
2 to 3 ft
4 to 5 ft
coccinea. Thicket Hawthorn. 15'-20' Large scarlet fruits.
3 to 4 ft
5 to 6 ft
cordata. Washington Hawthorn. 12'-15' Berries are small, brilliant red and persist nearly all winter. Brilliant autumn foliage. 2 to 3 ft
3 to 4 ft
4 to 5 ft
hawthorn distinctive. White flowers are also conspicuous. 2 to 3 ft
3 to 4 ft
4 to 5 ft
and large red fruits.
2 to 3 ft
flowers. 18 to 24 in
2 to 3 ft

Briting in the part of the par
Each Per 10 Per 100
CRATAEGUS Paul's Scarlet. 12'-15' Double scarlet flowers.
3 to 4 ft
T 10 5 11 1.50
5 to 6 ft
DIOSPYROS virginiana. Persimmon. 15' Handsome foliage.
3 to 4 ft
4 to 5 ft
FAGUS americana (ferruginea). American Beech. 75'-100' One of
our best native trees—distinctive silver-gray bark. Prefers well drained limestone soil. Should be planted in early spring.
2 to 3 ft
3 to 4 ft
4 to 5 ft
sylvatica asplenifolia. Fern or Cutleaf Beech. 40'-50' A splendid
compact lawn tree with fern-like foliage. Clean gray bark.
2 to 3 ft 1.25
3 to 4 ft 1.75
FRAXINUS americana. White Ash. 70'-80' Fairly rapid grower. Assumes
pleasing golden tones in autumn. Good in moist and lime soils. Makes a splendid street tree with a clean straight trunk.
8 to 10 ft., 1½ in 1.00 \$9.00
10 to 12 ft., 1½ in
8 to 10 ft., 1¼ in 1.00 \$9.00 10 to 12 ft., 1½ in 1.25 11.00 10 to 12 ft., 1¾ in 1.50 12 to 13 ft., 2 in 2.00
12 to 13 ft., 2 in 2.00 12 to 13 ft., 2¼ in 2.50
12 to 13 ft., 2½ in
GINKGO biloba (Salisburia). Maidenhair Tree. 50'-75' Picturesque, interesting, quite distinct. Leaves shaped like maidenhair fern.
Immune from insects—thrives under city conditions.
6 to 8 ft
0 105
8 to 10 ft
10 to 12 it., 1½ in
GLEDITSIA triacanthos. Honey Locust. $60'-70'$ Thorny tree with fragrant white flowers in May. Good for gravelly soil.
2 to 3 ft
3 to 4 ft
4 to 5 ft
5 to 6 ft
6 to 8 ft
green foliage of slow growth—long interesting seed pods.
2 to 3 ft
3 to 4 ft
4 to 5 ft
KOELREUTERIA paniculata. Varnish Tree. 25'-30' Has bright yellow
flowers in July—a valuable small tree of irregular outline.
3 to 4 ft
4 to 5 ft
6 to 7 ft
LABURNUM vulgare. Golden Chain. 20'-25' Golden yellow flowers in June.
2 to 3 ft
3 to 4 ft
4 to 5 ft
LARIX europaea. European Larch. 50'-60' Especially good for spring
effects. Grows rapidly into a symmetrical tree.
2½ to 3 ft

Each Per 10 Per 100
LARIX laricina. American Larch. 40'-50' 2 to 3 ft \$.50
3 to 4 ft
leptolepis. Japanese Larch. 50'-60' Has long flat leaves turning
bright orange in autumn.
2 to 3 ft
LIQUIDAMBAR styraciflua. Sweet Gum. 50'-60' One of best trees for autumn color. Grows well in moist places. Has corky bark
and star-shaped maple-like leaves—difficult to transplant. 3 to 4 ft
3 to 4 ft
5 to 6 ft
6 to 8 ft
LIRIODENDRON tulipifera. Tulip Tree. 60'-80' A quick grower.
The yellow tulip-like flowers are produced in June—peculiar
flat topped leaves clear yellow in autumn. Prefers moist place.
4 to 6 ft
8 to 10 ft
10 to 12 ft
12 to 14 ft
C1 1 1 1 C 1 1 C
18 in., B. & B
2 ft., B. & B
macrophylla. Bigleaf Magnolia. 30'-40' Fragrant white flowers in
June. Leaves sometimes two feet long.
2 to 3 ft
3 to 4 ft
Soulangeana. Saucer Magnolia. 15'-18' Large reddish purple and white flowers—May.
The state of the s
Soulandonna Lonnoi Launa Maduolia 15/ 19/ Eleviara ara darkar
Soulangeana Lennei. Lenne Magnolia. 15'-18' Flowers are darker and appear later than preceding.
tripetala. Umbrella Tree. 30'-40' Very large leaves—flowers white
in late spring. Seed pods are pink. 5 to 6 ft
0 10 / 11
MALUS arnoldiana. Arnold Crab. 12'-15' White flowers, April-May.
4 to 5 ft
coronaria. Sweet Crab. 15'-20' Fragrant blush pink flowers in
early spring—April. 2 to 3 ft
3 to 4 ft
4 to 5 ft
5 to 6 ft
with rose-colored buds and white flowers in early spring.
2 to 3 ft
3 to 4 ft
5 to 6 ft

Di Mi Gi Elle, 141 jilioli 1
Each Per 10 Per 100 MALUS floribunda atrosanguinea. Carmine Crab. 10'-15' Deep red flowering.
2 to 3 ft. 5 \$.60 \$4.50 3 to 4 ft. 7.5 6.50 4 to 5 ft. 85 7.50 \$65.00 5 to 6 ft. 1.00 8.50
halliana. Parkman Crab. 10'-15' Semi-double pink, compact habit. 2 to 3 ft
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
niedzwetzkyana. Redvein Crab. 12'-15' Has reddish purple flowers, leaves and bark.
2 to 3 ft
3 to 4 ft
scheideckeri. Scheidecker Crab. 10'-15' Double pink lasting flowers.
2 to 3 ft
spectabilis. Chinese Crab. 12'-15' Semi-double pink flowers. 2 to 3 ft .50 3 to 4 ft .75
MORUS alba pendula. Tea's Weeping Mulberry. 8'-10'
Medium Grade
PAULOWNIA imperialis. Royal Paulownia. 30'-40' Grows rapidly, very large leaves, purple flowers. Not quite hardy in north. 4 to 5 ft
6 to 8 ft
PLATANUS orientalis. European Plane Tree. 70'-80' A good tree for park and street use, quick grower, stands city conditions. 8 to 10 ft
8 to 10 ft., 1¼ in 1.50 14.00 10 to 11 ft., 1½ in 1.90 17.50 11 to 12 ft., 1¾ in 2.60 25.00 12 to 13 ft., 2 in 3.25
POPULUS alba. White Poplar. 60'-80' Rapid grower, rather attractive
foliage with woolly-white undersurface.—seashore subject. 8 to 10 ft., 1½ in
10 to 12 ft., $1\frac{1}{2}$ in 1.25

8 F. & F. NURSERIES TRAD	E LIST		
	Each	Per 10	Per 100
POPULUS balsamea. Balsam Poplar. 60'-	-70' Has	fragrant	buds in
spring. Broad leaves, commend	table.		
8 to 10 ft., 1 ½ in	\$.75		
10 to 11 ft., 1½ in	1.00		
bolleana. Bolle Poplar. 50'-60' Leave	s white u	ınderneath	ı, similar
columnar character to Lombardy	y poplar—	gray bark	
4 to 6 ft	.05	\$6.00	\$50.00
6 to 8 ft 8 to 10 ft., 1½ in	/3	7.00 8.00	65.00 75.00
8 to 10 ft., 1 ½ in	1.00	0.00	75.00
4 to 6 ft. 6 to 8 ft. 8 to 10 ft., 1½ in 10 to 12 ft., 1½ in	1.25		
canescens. Gray Poplar. 30'-40'			
8 to 10 ft., 1½ in	1.75		
10 to 12 ft., 1½ in	2.25		
8 to 10 ft., 1½ in	3.00		
monolifera. Carolina Poplar. 75'–90'	A rapid	grower, si	cceeding
even on dry places and near sea	shore.	, , , ,	
8 to 10 ft	.40	3.50	25.00
8 to 10 ft 8 to 10 ft., 1½ in 11 to 12 ft., 1½ in 12 to 14 ft., 1¾ in	.45	4.00	30.00
11 to 12 ft., 1½ in	.65	6.00	50.00
12 to 14 ft., 1 3/4 in	1.00	9.00	
14 10 10 11., 2 111	1.13	10.00	
nigra italica. Lombardy Poplar. 60'-8	30' Tall	spire-like	character
is valued for screens and architec			70.00
6 to 8 ft 8 to 10 ft	.45 .60	3.50 5.00	30.00 45.00
8 to 10 ft	.80	7.00	65.00
10 to 11 ft., 1½ in	1.00	,	03100
12 to 13 ft., 1 ½ in	1.50		
13 to 14 ft., 2 in	2.00		
4 to 6 ft			
6 to 8 ft			
Volga Poplar. Has similar upright growth		ardy.	
4 to 6 ft			
6 to 8 ft 8 to 10 ft	.80 1.10		
		201 251	D 11
PRUNUS avium plena (Cerasus). Flowering white flowers.	Cherry.	20'-25'	Double
4 to 5 ft	3.00		
5 to 6 ft			
James H Veitch Veitch Langu Charry	. 18'-20'	Double	rosy red
James H. Veitch. Veitch Japan Cherry. flowers freely produced.	. 10-20	Double	rosy reu
2 to 3 ft	1.25		
3 to 4 ft	1.50		
rosea flore pleno. Double Pink Japan C	herry. 1	8'-20'	
2 to 3 ft	1.25		
3 to 4 ft	1.50		
New red. Double Red Japan Cherry. 1	18'-20'		
2 to 3 ft	1.25		
3 to 4 ft	1.50		
subhirtella pendula. Weeping Japan Cher	rry. 12'-	15' Most	beautiful
and graceful tree covered with p	ink blosso	ms in earl	y spring.
Pyramidal Form			
3 to 4 ft., B. & B	2.00		
4 to 5 ft., B. & B.	2.75		
5 to 6 ft., B. & B.	4.00		
6 to 7 ft., B. & B			
Standard Form	2.25		
2 year head R & R	3.50		
Standard Form 1 year head, B. & B. 2 year head, B. & B. 3 year head, B. & B.	5.00		
J year flead, D. O D	3.00		

SPRINGFIELD, NEW JERSEY 9
Each Per 10 Per 100
PRUNUS pissardi. Purple Leaf Plum. 12'-15' Valued chiefly because
of purplish foliage. Should be pruned every year for best
color effect.
2 to 3 ft
3 to 4 ft
serotina. Wild Black Cherry. 25'-30' Lustrous deep green foliage.
4 to 6 ft
PTELEA trifoliata. Hop Tree. $10^{\prime}-12^{\prime}$ Has clusters of hop-like fruits—purplish-brown fall coloring.
3 to 4 ft
4 to 6 ft
6 to 8 ft
QUERCUS alba. White Oak. 80'-100' The noblest of them all—long lived, slow growth.
4 to 6 ft
bicolor. Swamp White Oak. 75'-90' Best in low damp places. 4 to 6 ft
4 to 6 ft 1.25
8 to 10 ft., 1¼ in
cerris. Turkey Oak. 60'-70' Grows quickly—pyramidal in outline. 10 to 12 ft., 3 in 6.00
coccinea. Scarlet Oak. 75'-90' Most striking autumn colors, tall stately grower, deeply cut leaves—succeeds in dry places.
4 to 6 ft 1.25
6 to 8 ft 1.50
8 to 10 tt., 1½ in 2,50
palustris. Pin Oak. 75'-90' Takes most kindly to cultivation, prefers
moist soil but is very adaptable. Particularly fitting as a street tree. Good autumn effects.
street tree. Good autumn effects.
8 ft., 1½ in 1.50 13.50 8 ft., 1½ in 2.25 21.00 8 to 9 ft., 1½ in 2.75 26.00 9 to 10 ft., 1¾ in 3.50 32.50 10 to 12 ft., 2 in 4.25
8 ft., 1½ in 2.25 21.00
8 to 9 ft., 1½ in 2.75 26.00
9 to 10 ft., 1% in
10 to 12 ft., 2 in
12 to 13 it., 2 ¹ / ₄ in 5.00
13 to 14 ft 2½ in 6.00
rubra. Red Oak. 75'-90' Comparatively quick growth, rich autumn coloring in greens and reds—unfolding leaves are pink.
6 to 8 ft
8 to 9 ft., 1½ in
9 to 10 ft., 1½ in
10 to 12 ft., 2 in
12 to 14 ft., 2½ in 5.00
10 to 12 ft, 2 in 4.25 12 to 14 ft., 2½ in 5.00 12 to 14 ft., 2½ in 6.00
ROBINA pseudacacia. Locust. 60'-80' Has fragrant white flowers in May. 6 to 8 ft
SALIX babylonica. Babylonian Weeping Willow. 50'-60' Particularly appropriate for waterside planting with long pendulus branches.
4 to 6 ft
6 to 8 ft
8 to 10 ft
Chinese Form
4 to 6 ft
6 to 8 ft
0 10 10 11

10	F. & F. NURSERIES TRAD	E LIST		
		Each	Dor 10	Per 100
CALIV	babylonica aurea. Russian Golden We			
SALIA	Has golden-yellow bark—similar	eeping w	mow.	40 - 50
			\$4.50	
	4 to 5 ft	φ .30 65	\$4.50	
	8 to 10 ft	.75		
1.1.	nda (dolorosa). Wisconsin Weeping Wi		V 501 31	. 11
Dia				ry nardy.
	4 to 6 ft	.40 .60	3.50 5.50	\$50.00
	6 to 8 ft 8 to 10 ft	.75	3.30	\$50.00
cap	orea. Bush Form. Pussy Willow. 1s spring effects—will do well on dr	5'-20' \	ery desi	rable for
	2 to 3 ft	.25 .30	2.20 2.50	18.00
	4 to 6 ft	.35	3.00	25.00
	6 to 8 ft	.45	4.00	30.00
olo	gantissima. Thurlow Weeping Willow.	60' 70' V	iaorona a	prooding
ere;	4 to 6 ft		3.00	preaumg.
	6 to 8 ft	.50	4.50	
	8 to 10 ft	.75	7.00	
	10 to 12 ft	1.10	10.00	
	12 to 15 ft	1.50		
inc	ana (rosmarinifolia). Rosemary Willow	v. 12'-1	5' Good	for fine
****	texture in foliage effects—narrow	leaves silv	ery white	beneath.
	2 to 3 ft	.25	2.00	15.00
	3 to 4 ft	.30	2.50	20.00
	4 to 5 ft	.35	3.00	
ner	atandra. Laurel Leaf Willow. 20'-30'	Shining	rich da	rk green
P	leaves make this a worthwhile ba	ckground	, valuable	seashore
	planting.			
	3 to 4 ft	.25	2.20	20.00
	4 to 6 ft	.35	3.00	25.00
	6 to 8 ft	.45	4.00	
sala	amoni. Salamon Weeping Willow. 60	0'-70' T	he most	vigorous
	of all "weeping willows."			
	4 to 6 ft	.35		
	6 to 8 ft	.50		
	8 to 10 ft	.75		
	12 ft	1.50		
vite	ellina aurea. Golden Willow. 25'-30'			
	bark being bright golden. Silky		-	
	3 to 4 ft		2.20	20.00
	4 to 5 ft	.30 .40	2.70 3.50	25.00
	5 to 6 ft			
vite	ellina britzensis. Bronze Willow. 2 when used with preceding variety	20'-25'	Particular	ly good
			dish broi	nze bark.
	2 to 3 ft		2.00	
	3 to 4 ft 4 to 6 ft	.25 .35	2.00 3.00	
	6 to 8 ft	.45	3.00	
SOPHO	ORA japonica. Pagoda Tree. 30'–40' W		rs in late	summer
501110		.60	III IAIC	Jannier.
	2 to 3 ft	.85		
	4 to 6 ft	1.10		
SORBI	IS americana. American Mountain A		-25' Ha	s bright
	red fruit.		- 10	
	4 to 5 ft	.75		
	5 to 6 ft	1.00		

Each Per 10 Per 100 SORBUS aucuparia. European Mountain Ash. 25'-30' A valuable tree on a small lawn—the orange scarlet berries are quite striking. \$.75 .85 5 to \$ 8.00 6 to 12.50 1.75 8 to 10 ft..... 16.00 aucuparia pendula. Weeping Mountain Ash. 12'-15' Rather graceful pendulous branches. Fruits freely. 2 yr. heads 3 yr. heads 2.25 quercifolia. Oak Leaf Mountain Ash. 20'-25' Similar fruit to preceding but leaves resemble the oak. 4 to 5 ft..... 1.00 5 to 6 ft TILIA americana. American Linden. 75'-90' Grows rather quickly forming an open head. Has fragrant yellow flowers. 10 to 11 ft., 1¾ in 2.50 11 to 12 ft., 2 in 3.25 tomentosa (argentea). Silver Leaf Linden. 60'-70' Symmetrical and compact—leaves silvery gray underneath. 2.50 3.00 1 3/4 in 3.75 4.50 platyphyllos. European Large Leaf Linden. 60'-75' 2.00 2.75 3.50 4.50 12 to 13 ft., 2½ in 5.50 13 to 14 ft., 3 in 7.50 vulgaris (europaea). European Linden. 60'-70' Fragrant flowers in late June, grows vigorously forming compact symmetrical tree. 2.75 3.50 4.50 5.50 7.50 9.00 ULMUS americana. American Elm. 80'-100' Stateliness and dignity are here exemplified. Fairly rapid in growth this typical american tree soon assumes regal proportions and commands respect of all. 6 to 8 ft.. 1.00 7.50 6 to 8 ft.

8 to 10 ft., 1½ in

8 to 10 ft., 1½ in

9 to 11 ft., 1½ in

10 to 12 ft., 1¾ in

11 to 12 ft., 2 in

12 to 13 ft., 2½ in

13 to 14 ft., 2½ in 1.25 1.75 11.50 \$100.00 16.50 150.00 2.25

21.50

2.75 3.60 4.50 5.50

Deciduous Shrubs

The shrubs we offer are of a standard commercial grade, young and thrifty. They are not crowded in rows to make them grow tall, but are given space enough for proper development. This insures a bushy and full plant, which far more than height ought to be, and indeed is, the standard of excellence. Nearly all our shrubs are dug with a tree digger, thus insuring good roots, and are exactly what we represent them to be in all particulars.

Each Per 10 Per 100 ACER palmatum (polymorphum). Green Japanese Maple. 12'-15' Develops into a splendid specimen for lawn planting-star shaped leaves. palmatum atro purpureum. Purple Leaf Japan Maple. 6'-8' Has rich purple-red leaves all summer. 5.00 7.00 9.00 tatarica ginnala. Tartarian Maple. 10'-12' Graceful and valuable for bright red autumn coloring. 2 to 3 ft40 AMELANCHIER canadensis (botryapium), Juneberry, 10'-12' White flowers in early spring before leaves. Fruits relished by birds. .40 3.50 \$30.00 .50 4.50 40.00 .55 5.00 45.00 AMORPHA canescens. Lead Plant. 2'-3' Bluish purple flowers in June. 18 in40 fruticosa. Indigo Bush. 8'-10' Deep purple flowers June, spreading. 2 to 3 ft25 2.00 18.00 .30 3 to 4 ft..... 2.50 22.00 5 ft40 4 to 3.50 27,00 AMYGDALUS nana. Flowering Almond. 5'-6' Flowers double, May. Pink and White. .50 $1\frac{1}{2}$ to 2 4.50 40,00 .60 5.50 50.00 .70 6.00 3 .85 7.50 ARALIA pentaphyllum. Five Leaf Aralia. 7'-8' Graceful arching habit. Splendid for banks, very adaptable, has good green foliage. .25 2.20 .35 3.00 25.00 .45 4.00 Hercules' Club. 18'-20' Useful for tropical effects and shadows. White flowers, July-dark purple berries follow. 2 to 3 ft..... .30 2.50 20.00 3 to 4 ft..... .35 3.00 25.00 3.50 4 to 5 ft..... .40 30.00 .55 5.00 40.00 ARONIA melanocarpa (nigra). Black Chokeberry. 8'-10' Delicate white

flowers in May. Black berries persist until late.

.35

.40

.50

3.00

3.50

SPRINGFIELD, NEW JERSEY 13
ARONIA arbutifolia. Red Chokeberry. 6'-8' Valuable because of its
1½ to 2 ft. \$.40 \$3.50 \$30.00 2 to 3 ft50 4.50 3 to 4 ft60 5.50
AZALEA arborescens. Sweet Azalea. 10'-12' Fragrant white flowers, June.
12 to 15 in., B. & B
calendulacea (lutea). Flame Azalea. 8'-10' Brilliant flame-colored
flowers in early spring. 12 to 15 in., B. & B
canescens. Piedmont Azalea. 8'-10'
12 to 15 in., B. & B
kaempferi. Torch Azalea. 4'-5' Warm brick-red flowers in May.
12 to 15 in., B. & B 1.50
15 to 18 in., B. & B
mollis. Chinese Azalea. 4'-6' Large showy flowers in shades of
orange and red. May-June.
12 to 15 in., B. & B 1.25 11.00
15 to 18 in., B. & B
ponticum. Pontic Azalea. 6'-8' Flowers of all shades, white to red.
12 to 15 in., B. & B
15 to 18 in., B. & B 1.75
rosea. Downy Azalea. 4'-5' Good bushy habit. Beautiful pink
flowers, May-June. Prefers semi-shady, moist place.
2 to 2½ ft., B. & B
vaseyi. Pink Shell Azalea. 5'-6' Delicate pink, April-May.
12 to 15 in., B. & B
viscosa. Swamp Azalea. 4'-5' White, very fragrant, June-July.
12 to 15 in. B. & B
15 to 18 in., B. & B 1.25 11.00
12 to 15 in., B. & B
yodogawa. Yodogawa Azalea. 3'-4' Double pinkish-lavender flowers,
May. Quite hardy and of exceptional merit.
12 to 15 in., B. & B
12 to 15 in., B. & B
BACCHARIS halimifolia Grounded Rush 9'-10' Conspicuous fluffy
BACCHARIS halimifolia. Groundsel Bush. 9'-10' Conspicuous fluffy seed pods in Sept. Good for seashore. Best in masses.
3 to 4 ft
BENZOIN aestivale (Lindera Benzoin). Spice Bush. 10'-12' Flowers
yellow, April—scarlet berries—leaves aromatic.
18 to 24 in
3 to 4 ft
BERBERIS. Box Barberry. 2'-3' A dwarf compact form of Japanese
Barberry. Fruits sparingly. Fine for dwarf clipped hedges.
8 to 10 in
10 to 12 in
12 to 15 in
18 to 24 in
2 ft

14 F. 6 P. NORSEKIES TRADE LIST	
Each	
BERBERIS amurensis japonica. Hackodate Barberry. 5'-6' Brillia	ant
orange and scarlet in autumn. Withstands drought well.	
12 to 15 in	
BERBERIS amurensis japonica. Hackodate Barberry. 5'-6' Brillia orange and scarlet in autumn. 12 to 15 in	inf
or for massing. Brilliant autumn coloring, scarlet berries.	
Each Per 10 Per 100 Per 10	00
9 to 12 in	
12 to 15 in	
15 to 18 in	
9 to 12 in	UU
2 to 2½ tt	
2½ II	
thunbergi. Sheared Globes. These are well shaped solid specimen	ns.
Each Per 10 Per 1	00
12 in 1.00 9.00	
15 in 1.25 11.00 18 in 1.75 15.00	
18 in 1.75 15.00	
vulgaris. European Barberry. 7'-8' Yellow flowers, May. Fried, persisting to midwinter. Vigorous, upright habit. 2 to 3 ft. .25 2.00 18.1 3 to 4 ft. .30 2.50 20.1 4 to 5 ft. .35 3.00 25.4	uit
red, persisting to midwinter. Vigorous, upright habit.	
2 to 3 ft	00
3 to 4 ft	00
4 to 5 ft	00
vulgaris purpurea. Purple European Barberry. 7'-8' Has pleasi	ng
soft purple foliage. Similar in habit to preceding.	
18 to 24 in	
soft purple foliage. Similar in habit to preceding. 18 to 24 in	
RUDDI FIA voitchiana Ruttarfly Rush 5'-6' Very effective with are	157.
BUDDLEIA veitchiana. Butterfly Bush. 5'-6' Very effective with gragreen foliage and deep lilac flowers. Likes sun. June-Se	nt.
green rollage and deep mac nowers. Likes sun. June-De	pr.
18 to 24 in	00
2 to 3 ft	00
3 to 4 ft., extra	
CALLICARPA purpurea. Chinese Beauty-Berry. 3'-4' Especially	at-
tractive in August with its lilac-violet berries. Graceful hal	oit
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
18 to 24 in25 2.00	
2 to 2½ ft	
$2\frac{1}{2}$ to 3 ft	
CALYCANTHUS floridus. Common Sweet Shrub. 4'-5' Reddis	h-
brown flowers, June-Sept., spicy fragrance.	
18 to 24 in	
2 to 3 ft	
18 to 24 in	
CARAGANA arborescens. Siberian Peatree. 10'-12' Yellow pe shaped flowers, May-June. Does best in well-drained place	a-
shaped flowers, May-June. Does best in well-drained place	ce.
shaped flowers, May-June. Does best in well-drained place 2 to 3 ft	
5 10 1 11	
CARYOPTERIS incana (mastacantha). Bluebeard. 2'-3' Lavende blue flowers, SeptOct. Splendid for massing. Requir	2r-
blue flowers, Sept.—Oct. Splendid for massing, Requir	es
protection in winter	
12 to 15 in., 1 vr	00
12 to 15 in., 1 yr	00
CEPHALANTHUS occidentalis. Button Bush. 5'-6' Round heads	of
creamy-white flowers, July-Sept. Good foliage.	J1
18 to 24 in	
2 to 3 ft	00
3 to 4 ft	-
CERCIS canadensis. American Redbud. 12'-15' Rosy-pink, Apr	il
Very effective when planted with dogwood Good foliage	11.
Very effective when planted with dogwood. Good foliag 2 to 3 ft	ic.
3 to 4 ft	
4 to 5 ft	
1 10 3 11	

SPRINGFIELD, NEW JERSEY	15
Each Per 10	
CERCIS japonica. <i>Chinese Redbud.</i> 10'-12' Flowers larger an than above - succeeds best in rather moist soil.	d darker
15 in	
CHIONANTHUS virginica. White Fringe. 15'-18' Fragrant to	assel-like
white flowers, May-June. Blue-black plum-like fruits	s follow.
1½ to 2 ft	
3 to 4 ft	
4 to 5 ft 1.00	
CLETHRA alnifolia. Summer Sweet. 4'-5' Spikes of fragrant	flowers,
July-Sept. Prefers moist, shady places—good for	massing.
18 to 24 in	
2 to 2½ ft	
COLUTEA arborescens. Bladder Senna. 8'-10' Yellow flower	s. June-
Aug. Useful for dry places—inflated seed pods often 2 to 3 ft	colored.
2 to 3 ft	
3 to 4 ft	
5 6 %	
CORNUS alba (siberica). Coral Dogwood. 8'-10' Bright re	d bark.
porcelain blue fruits—quick grower, useful for winte	
18 to 24 in .20 1.50 2 to 3 ft .25 2.00 3 to 4 ft .30 2.50 4 to 5 ft .35 3.00	\$12.00
2 to 3 ft	16.00
3 to 4 ft	20.00
alba elegantissima. Variegated Dogwood. 5'-6' Has sil	ver and
green leaves.	ver and
$1\frac{1}{2}$ to 2 ft	25.00
2 to 3 ft	
3 to 4 ft	
alba spaethi. Spaeth Dogwood. 6'-8' Leaves margined ye	llow.
18 to 24 in	
alternifolia. Pagoda Dogwood. 15'-18' Branches spread	norizon.
tally, making deep shadow effects. Blue-black fruit.	
18 to 24 in	
2 to 3 ft	
3 to 4 ft40 3.50	
4 to 5 ft	
amonum (sericea) Silky Dodwood 8'-9' Pale blue fruits-	-voung
twigs purple. Prefers moist places—has creamy white	flowers.
2 to 3 ft	18.00
5 to 4 tt	22.00
4 to 5 ft	
baileyi. Bailey Dogwood. 8'-10' Upright grower, dark re	d bark.
gray-green leaves, white fruits, small white flowers all s	ummer.
3 to 4 ft	
4 to 5 ft	
kousa. Kousa Dogwood. 16'-18' Large white flowers i Conspicuous cherry-like scarlet fruits, attractive to bir	n June.
2 ft	- CD+
3 ft	
paniculata. Gray Dogwood. 10'-12' Numerous small white	flowers
in May, followed by white fruits on red stems—likes n	noisture.
2 to 3 ft	
3 to 4 ft	

16 F. & F. NURSERIES TRADE	LIST		
I	Each	Per 10	Per 100
CORNUS stolonifera. Red Osier Dogwood. 7'-	8' Sp	reading,	red bark,
white fruits.	-		
2 to 3 ft\$.25	\$2.00	
3 to 4 ft	.30	2.50	
3 to 4 ft	.35	3.00	
stolonifera lutea. Golden Bark Dogwood	. 6'-	7′ Has	distinct
yellow bark.			
2 to 3 ft	.30	2.50	
3 to 4 ft	.35	3.00	
4 10 3 11	.40		
CORYLUS americana. Hazel-nut. 8'-9' Usef	ul for r	natural r	olantings.
2 to 3 ft	.75		Ü
3 to 4 ft	1.00		
	1.25		
CYDONIA japonica. Flowering Quince. 4'-5'	Scarlet	flowers	in April-
May		110 11 61 5	ripin
15 to 18 in	.25	2.20	\$20.00
$1\frac{1}{2}$ to 2 ft	.30	2.50	22.00
2 to $2\frac{1}{2}$ ft	.35	3.20	30.00
$2\frac{1}{2}$ ft	.40		
DESMODIUM. (See Lespedeza)			
DEUTZIA gracilis. Slender Deutzia. 3' Profuse bl	oomer.	oure wh	ite. May.
10 to 12 in		2.00	16.00
12 to 15 in	.30	2.50	20.00
15 to 18 in	.35	3.00	20.00
		re June	graceful
lemoinei. Lemoine Deutzia. 4'-5' Large whit 15 to 18 in	30	2.50	gi acei ui.
1½ to 2 ft	.35	3.00	27.00
7 to 71/ tt	40	3.50	32.00
2½ to 3 ft	.50	4.50	
magnifica. 6'-8' Large tassel-like flowers. Iu	ne. Vi	gorous.	
$1\frac{1}{2}$ to 2 ft	.25	8010451	
2 to 2½ ft	.30		
$2\frac{1}{2}$ to 3 ft	.40		
parviflora. Mongolian Deutzia. 3' Erect ha	bit, wh	ite. June	
15 to 18 in	.25	2.00	
18 to 24 in		2.50	
2 to $2\frac{1}{2}$ ft	.35	3.00	
scabra. Pride of Rochester. 9'-10' Vigoro	us lar	ge flowe	r tinged
pink—June.			
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	25.00
4 to 5 ft	.45	4.00	
scabra candidissima. Snowflake Deutzia.	9'-10'	Gracef	ul habit,
double white June. Grows vigorou 2 to 3 ft	sly—or	ne of the	best.
2 to 3 ft	.25	2.20	20.00
3 to 4 ft	.30	2.50	22.00
4 to 5 ft	.35	3.00	
scabra crenata, fl. pl. Double Pink Deutzia.	6'-8	Pink,	slightly
fragrant, June.	.25	2.20	20.00
2 to 3 ft		2.50	20.00
4 to 5 ft	.30	3.00	22.00
	.55	3.00	
vilmorinae. Vilmorin Deutzia. 4'-5'	.25	2.00	
18 to 24 in 2 to 2½ ft	.30	2.50	
DIERVILLA trifida. Dwarf Bush Honeysuckle.			ne-July.
A good low shrub for shady places.	J 11	, ju	ne jury.
12 to 15 in	.25	2.20	
15 to 18 in	.30	2.50	
18 to 24 in	.35	3.00	

SPRINGFIELD, NEW JERSE I	1/
Each Per 10 Per 1 DIERVILLA sessilifolia (lutea). Southern Bush Honeysuckle. 4'-5'	
Yellow, more vigorous than preceding, June-July.	
2 to 3 ft	
3 to 4 ft	
ELEAGNUS angustifolia. Russian Olive. 15'-18' Silver-gray leaves a	nd
branchlets, orange berries. Good for massing—prefers su	ın.
2 to 3 ft	00
4 to 5 ft	
longipes. Cherry Eleagnus. 6'-8' Silvery leaves, fragrant yell flowers, May. Large red berries ripe July. Good for lin	ow
stone soils.	16-
. 18 to 24 in	
2 to 3 ft	
EUONYMUS alatus. Winged Euonymus. 9'-10' Interesting corky ba	rk.
warm crimson autumn coloring, makes fine specimen shr	ub.
18 to 24 in	
2 to 2½ ft	
americanus. Brook Euonymus. 7'-8' Pink fruits, prefers moist plac	es.
2 to 3 ft	
3 to 4 ft	٦. ۵
orange and white seed pods persist for a long time.	ne
2 to 3 ft25 2.20	
3 to 4 ft	
4 to 5 ft	n a
stalks.	118
18 to 24 in	
2 to 3 ft	
EXOCHORDA grandiflora. Pearl Bush. 6'-9' Dazzling white flower	ers.
May. Is improved by annual pruning—prefers a moist s	
2 to 3 ft	
2 to 3 ft	00
FORSYTHIA intermedia. Border Golden Bell. 6'-8' Bright yelle	NW.
flowers in April before leaves unfold—profuse and beautif	
2 to 3 ft	
3 to 4 ft	00
intermedia spectabilis. Showy Border Golden Bell. 6'-8' M	ost
profuse of all, with large rich golden yellow flowers.	
2 to 3 ft	
3 to 4 ft	oit
excellent for massing, banks, or hanging over retaining wa	
2 to 3 ft	
3 to 4 ft	00
suspensa fortunei. Fortune Golden Bell. 7'-8' Good habit, archi	กด
branches, vigorous growth. Invaluable for shrubbery bord	er.
2 to 3 ft	
3 to 4 ft	UU
1 10 3 11	

18 F. & F. NURSERIES TRADE LIST
Each Per 10 Per 100
FORSYTHIA viridissima. Green Stem Forsythia. 7'-8' Most vigorous Has green bark—thick, dark green leaves. Last to flower.
2 to 3 ft
3 to 4 ft
4 to 5 ft35 3.00
CENISTA tinctoria Woodwaren 3' Yellow pearshaped flower-June
2 ft
J 11
HALESIA tetraptera. Great Silver Bell. 12'-15' Snow-white bell
shaped flowers in May profusely borne on branchlets—car be grown as single specimen or massed.
2 to 3 ft
3 to 4 ft
4 to 5 ft
HAMAMELIS virginiana. Witch Hazel. 10'-12' Yellow ribbon-like
flowers, OctNov. Good foliage, best in moist, half-shady
places. 18 to 24 in
2 to 3 ft
2 to 3 ft
HIBISCUS syriacus (althea). Rose of Sharon. 10'-12' Rather forma
in outline, flowering in August.
Ameliasing Double and Joon of Aug. Double white
Amplissina. Double red. Joan of Arc. Double white.
Coerulea. Double purplish blue. Lady Stanley. Double pink.
Pink, purple, red and white, single and double. Amplissima. Double red. Coerulea. Double purplish blue. De la Vaux. Double red. Elegantissima. Double pink. Totus albus. Single white.
Zieganieronian zienen pinni
18 to 24 in
2 to 3 ft
3 to 4 ft
variegata. Variegated Rose of Sharon. 6'-8' Leaves striped yellow
variegata. Variegated Rose of Sharon. 6–8 Leaves striped yellow 1½ to 2 ft
HYDRANGEA arborescens. Smooth Hydrangea. 4'-5' White, June-July
18 to 24 in
2 to 3 ft
3 to 4 ft
grandiflora alba (sterilis). Hill Hydrangea. 4'-5' Large heads pure
white flowers, June–July. 18 to 24 in
2 to 3 ft
3 to 4 ft 50 4.50
radiata (nivea). Silver Leaf Hydrangea, 4'-5' Leaves white under
radiata (nivea). Silver Leaf Hydrangea. 4'-5' Leaves white underneath, flowers white, June-July. Pleasing fresh green foliage.
2 to 3 ft
3 to 4 ft
quercifolia. Oak Leaf Hydrangea. 3'-4' Leaves shaped like an oak leaf. Splendid autumn coloring—succeeds in shade.
18 to 24 in 60 5.50
paniculata. Panicle Hydrangea. 8'-9' Large loose panicles of white flowers, August. A graceful, desirable shrub.
white flowers, August. A graceful, desirable shrub.
2 to 3 ft
3 ft
paniculata grandiflora. Pegee. 8'-9' Very showy, blooms August.
2 to 2½ ft
2½ to 3 ft
2 to 2½ ft40 3.50 30.00 2½ to 3 ft45 4.00 35.00 3 ft50 4.50

BI KII (GI IEED, I VE W)EKB	- 1		- 17
	Each	Per 10	Per 100
HYDRANGEA paniculata grandiflora Standard.	Tree	Form.	
Medium, 3 to 4 ft	.75	\$6.50	
Medium, 3 to 4 ft	.85	7.50	
Extra, 4 to 5 ft	1.00	9.00	
HYPERICUM aureum. Golden St. Johnswort. 3	'-4' Y	ellow. In	lv-Aug
blue-green foliage, dense habit, good			
18 to 24 in	25	2.20	. 40001, 31
18 to 24 in	30	2.50	
densiflorum. Dense Flowered St. Johnswort	1'_		az Julyz-
Sept. Free flowering—good for san			w, july-
18 to 24 in	25	•	
18 to 24 in 2 to 2½ ft	.30		
kalmianum. Kalm St. Johnswort. 4'-5' B	110-0700	n leaves	glaucous
underside. Withstands drought, Jul	v-Sent	. II ICAVES	gradeous
2 ft	.35		
C-14 F1 2/ I		7 r	1 4
moserianum. Gold Flower. 2' Large yel	low III	owers, Ju	ily-Aug.
Dainty, half-herbaceous splendid ma	iss piar	2.20	¢00.00
2 yr., 12 in	.25	2.20	\$20.00
2 yr., 15 in	.30	2.70	25.00
2 yr., to in	.33	3.00	27.00
2 yr., 12 in 2 yr., 15 in 2 yr., 18 in prolificum. Shrubby St. Johnswort. 2½'-3' flowers profusely borne in July-Sep	A der	ise shrub	-yellow
flowers profusely borne in July-Sep	t. God	od for ro	cky soils.
18 to 24 in	.25		
ILEX verticillata (prinos.) Winterberry. 6'-8'	Bright	red berrie	s persist-
ing to mid-winter—not eaten by bir	ds. Pr	efers moi	st soil.
1½ to 2 ft	.35	3.00	
2 to $2\frac{1}{2}$ ft	.40	3.50	
2½ to 3 ft	.50		
ITEA virginica. Sweetspire. 3'-4' Spikes of fra	grant w	hite flow	ers, July
Good for low placesbrilliant autur			
18 to 24 in	.30	2.50	20.00
2 to 3 ft	.35	3.00	25.00
JASMINUM humile. Italian Jasmine. 3'			
1½ to 2 ft	.30	2.50	
JASMINUM humile. Italian Jasmine. 3' 1½ to 2 ft	.35	3.00	
nudiflorum. Winter Jasmine. 3' Yellow,	April-1	May.	
15 to 18 in	.25	2.00	18.00
18 to 24 in	.30	2.50	20.00
15 to 18 in	.35	3.00	25.00
KERRIA japonica. Japanese Kerria. 4'-5'	olden	vellow I	ine-Sent
	fects—	graceful h	abit.
	.35	,	
2 to 2½ ft	.50	4.50	
72			1 11
japonica fl. plena. Double Japanese Kerria.	4'-5'	Desirabl	e double
TOTIN.	7.5		
18 to 24 in	.35	4.50	
2 to 2½ II	.50 .60	5.00	
2 /2 10 J II	.00		T 1
LESPEDEZA bicolor. Bush Clover. 5'-6' Rose Slender graceful shrub—attractive clo	and w	o foliogra	er—July.
Signater graceful shrub—attractive cl	over-lik		
18 to 24 in 2 to 3 ft 3 to 4 ft	.22	2.00	
2 to 3 ft	.25	2.20 2.50	
5 to 4 ft	.30		27 4
formosum (Desmodium penduliflorum.) Pur	ple Bu	nClover.	3-4
Rosy purple flower conspicuous in S	sept.	Attractive	
2 yr., 18 to 24 in	.30	2.70	25.00
2 yr., 2 to 3 ft	.35	3.20	30.00 32.00
J 10 4 II	.40	3.60	32.00

ZU F. G F. NUNSERIES TRAL	E LIST		
	Each		Per 100
LIGUSTRUM amurense. Amur Privet. 14'-15'	Half-ev	ergreen, v	ery hardy.
18 to 24 in	\$.15	\$1.00	
2 to 3 ft	.20	1.50 2.00	10.00 15.00
ciliatum. Bigberry Privet. 5'-6' Spreadin	a habit		
3 to 4 ft		2.50	ck bellies.
4 to 5 ft	.50	4.00	
ibota. Ibota Privet. 9'-10' Good dense	habit.		and fruits
freely. Decorative black berries-			
18 to 24 in	.20	1.50	10.00
2 to 3 ft	.25	2.00	15.00
		2.50	20.00
ibota regelianum. True Spreading, Regel	Privet	. 5'-6'	Makes a
splendid low dense hedge—also green plantings.	good in	snrubber	y or ever-
	.25	2.00	15.00
15 to 18 in	.30	2.50	
2 to 2½ ft	.35	3.00	25.00
$2\frac{1}{2}$ to 3 ft	.40	3.50	30.00
Lodense. Dwarf Privet. 2½' Compact	dwarf	form for	hedgings.
1 yr	.30	.250	20.00
ovalifolium. California Privet. 9'-10'	Most p	opular he	dge plant.
	Per 10	Per 100	Per 1000
12 to 18 in	.60 .80	3.50 4.00	25.00 35.00
2 to 3 ft	1.00	6.00	
3 to 4 ft.	1.50	8.00	50.00 75.00
ovalifolium. Globe Form-Sheared.	Each	Per 10	Per 100
10 in. diam	.70	6.00	
12 in. diam	.85 1.00	7.50 9.00	
ovalifolium. Pyramidal Form—Sheared.	1.00	9.00	
•	1.00		
Medium, 2 ft	1.00		
ovalifolium. Standard, Tree Form—Sheare			
2 yr., 12 in. head, first class		9.00	
3 yr. 15 in. head, extra	1.50	12.50	
ovalifolium aureum. Golden Privet. 8'-9	' Grov		slowly.
12 to 15 in		1.80	15.00
vulgare. European Privet. 10'-12' Cream		flowers.	Iune-Iuly.
2 to 3 ft	.25	2.00	18.00
3 to 4 ft	.30	2.50	20.00
4 to 5 ft	.35	3.00	25.00
LONICERA alberti. Albert Honeysuckle. 2' I	Rose-pin	k fragran	t flowers,
May-June—bluish-green leaves, re			
15 in	.30	2.50	
bella albida. White Belle Honeysuckle.			
2 to 3 ft	.25 .30	2.00	16.00 22.00
4 to 5 ft	.35	3.00	25.00
	8' Fran	rant whi	te flower.
fragrantissima. Winter Honeysuckle. 6'–8 April–May. Half-evergreen—grad	eful ser	ni-droopi	ng habit.
2 to 3 ft		2.50	20.00
3 to 4 ft	.35	3.00	25.00
maacki. Amur Honeysuckle. 8'-9' Lar	ge white	e flowers	—June—
scarlet berries persisting until midv		0.00	
2 to 3 ft	.25 .30	2.20 2.70	18.00
J 10 4 II	.30	2.70	22.00

DI KITAGI IEED, TAEW JEIK)L 1		
	Each	Per 10	Per 100
LONICERA maacki podocarpa. Late Hone			
pinkish flowers, better fruit than pred	ceding,	holds leav	es longer.
3 to 4 ft	\$.35	\$3.00	
morrowi. Morrow Honeysuckle. 7'-8' Sprea June. Red fruits, good foliage. M	iding h Nost des	abit, whit sirable.	e—May-
2 to 3 ft	.25	2.20	\$18.00
5 to 4 ft	40	2.80 3.50	
pileata. Privet Honeysuckle. 2' Dwarf evergree	en shrul	h. needs n	
1 yr			rotections
ruprechtiana. Manchurian Honeysuckle. 8'-			e flowers.
June. Berries red sometimes ora	nge.		,
2 to 3 ft 3 to 4 ft	.20	1.80	
		2.20	
standishi. Standish Honeysuckle. 4'-5' April. Scarlet fruits, holds foliage	well.		ragrant—
18 to 24 in	.30	2.50 3.00	
18 to 24 in	.40	3.50	
syringantha. Lilac Honeysuckle. 3' Smal	l blue-s	green leav	es. laven-
der flowers.		•	
1½ to 2 ft			
2 to 2½ ft	.35		
tartarica. Tartarian Honeysuckle. (Pink,	bae ba	white)	0'-10'
Flowers and fruit freely produced.	A mo	st adaptal	ole shrub.
2 to 3 ft	.25	2.00	
3 to 4 ft	.30	2.50	22.00
tibetica. Tibetan Honeysuckle. 3'-4'	.35	3.00	25.00
	.25		
$\frac{1}{2}$ to $\frac{2}{5}$ ft	.35		
MYRICA cerifera. Southern Wax Myrtle. 4'-5'	Does w	ell in poo	r gravelly
soil. Has decorative gray berries p	ersistin	g all win	ter.
12 to 15 in	.25	2.20	22.00
18 to 24 in	.35	3.00	25.00
2 to $2\frac{1}{2}$ ft	.45	4.00	30.00
OXYDENDRON arboreum. Sourwood. 25'-	30′ G	raceful cl	usters of
white flowers-Aug. Good leathery	toliage,	tine autu	mn color.
2 to 3 ft	.60	5.00 7.50	45.00 70.00
4 to 5 ft	.90	8.50	70.00
PAVIA macrostachya. (See Aesculus—trees)			
PHILADELPHUS avalanche. Avalanche Mock arching habit. Blooms profusely.	Orange	2. 3'-4'	Graceful,
18 to 24 in	.25	2.20	20.00
18 to 24 in	.30	2.70	25.00
Bouquet blanc. White Bouquet Mock Oran	00 21		nse habit
Blooms freely, May-June. Small	leaves.	LOW UE	inse mabris
18 to 24 in	.25		
2 to $2\frac{1}{2}$ ft	.30		
3 to 4 ft	.35	1	X Y
coronarius. Mock Orange. 9'-10' White fra			
2 to 3 ft	.25 .30	2.50	16.00
4 to 5 ft	.35	3.00	

22	F. & F. NURSERIES TRADE	LIST		
		Each	Per 10	Per 100
PHILADEL	PHUS coronarius aureus. Golden			
	Dwarf compact form—yellow leave			
	12 to 15 in		\$2.50	\$22.00
	15 to 18 in	.35	3.00	28.00
	18 to 24 in	.40	3.50	32.00
	2 to 2½ ft	.50	4.50	40.00
coronar	ius grandiflora. Large Flowering M			
	2 to 3 ft	.25	2.00	
	3 to 4 ft	.30	2.50	20.00
				30.00
goraoni	ana (Lewisi.) Gordon Mock Oran June-July. Slightly fragrant—bloo			owers in
			2.20	
	2 to 3 ft	.30	2.50	
			3.00	
lemoine	i. Lemoine Mock Orange. 4'-5'	Good co	ompact ha	bit, semi-
	i. Lemoine Mock Orange. 4'-5' double flowers sweetly scented-	-produc	ed along	slender
	arching branches.			
	18 to 24 in	.25	2.20	
	2 to $2\frac{1}{2}$ ft	.30	2.50	
nivalis.	Snowbank Mock Orange. 4'-5'			
	2 to 3 ft	.25	2.20	
	3 to 4 ft	.30	2.50	
pubesce	ns. Hoary Mock Orange. 12'-15' La	rge whi		s flowers.
	2 to 3 ft	.25	2.20	
) to 4 ft		3.00	
		,4U	3.30	
virginali	flowers produced intermittently all	Deal	antui ser r Most	nı-aouble desirable
				uesii abie.
zeyheri.	2 to 2½ ftZeyher Mock Orange. 8'-9'	•30	2.50	
zeynen.	2 to 3 ft	25		
	3 to 4 ft	.25 .30		
DITOTINIA	villosa. Red Berried Photinia. 8'-9'		1 1 7	*.1.
PHOTINIA	scarlet berries profusely borne in a	Flower	s white, j	une, rich
	2 to 3 ft	.30	Spieriuic	i ionage.
	3 to 4 ft	.35		
PIERIS mar	riana. Stagger Bush. 5'-6' Waxy		owers M	lav-lune
i illitio iilui	15 to 18 in	30	2.50	ay juice
	18 to 24 in	.35	2.50	
	18 to 24 in	.45		
POTENTILI	LA fruticosa. Shrubby Cinquefoil.	3'-4'	Blooms n	rofusely.
1011111111	yellow, June-Sept. A very adapta	ble and	useful sh	rub.
	18 to 24 in			25.00
	2 to 2½ ft	.35	3.00	27.00
PRUNUS m	aritima. Beach Plum. 9'-10' Sm	all whi	te flower	s. April.
	Purple fruits—splendid subject for sa	andy soi	l or near	seashore.
	18 to 24 in	.30	2.50	
	2 to 3 ft	.35	3.00	
	3 to 4 ft	.40	3.50	
	4 to 5 ft	.45		
pissardi.	(See Trees)			
tomento	sa. Nanking Cherry. 6'-7' Fruit before leaves appear. A splendid s	s light	red, flow	ers white
	perore leaves appear. A splendid s		2.50	20.00
	2 to 3 ft	.30 .35	2.50 3.00	22.00 25.00
	3 to 4 ft	.40	3.50	25.00
		. 10	3.30	

SPRINGFIELD, NEW JERS	EY		23
	Each	Per 10	Per 100
PRUNUS triloba plena. Double Flowering Pluflowers, April-May. Handsome at	ım. 7	″-8′ Do	
2 to 3 ft	5.5	\$5.00	\$40.00
3 to 4 ft	.65	6.00	50.00
PYRUS arbutifolia. (See Aronia)			
RHAMNUS cathartica. Common Buckthorn. 9	0'-10'	Dark gre	en leaves.
black berries. Valuable background			,
2 to 3 ft	.25	2.00	
3 to 4 ft	.30	2.50	
3 to 4 ft	.40	3.00	
frangula. Glossy Buckthorn. 8'-9' Berries	red, c	hanging	to black.
2 to 3 ft	.25	2.00	15.00
2 to 3 ft	.30	2.50	18.00
4 to 5 ft	.35	3.00	20.00
5 to 6 ft	.45		
RHODOTYPOS kerrioides. Jetbead. 4'-5' Fresh	green	foliage, p	ure white
flowers, May-June—shining black b	ead-lik	e berries.a	all winter.
18 to 24 in	.30	2.70	25.00
2 to 3 ft	.35	3.20	30.00
3 to 4 ft	.40	3.70	35.00
4 to 5 ft	.45	4.00	
RHUS canadensis (aromatica). Fragrant Sumacl	1. 4'-5	Cluster	s of small
yellow flowers, April-May. Attrac	tive in	June whe	n covered
with coral-red fruits. Withstands dr	ought.	Aromat	ic foliage.
18 to 24 in	.30	2.70	
2 to 3 ft	.35	3.20	
3 to 4 ft	.40	3.50	
18 to 24 in	mson f	ruits, goo	d autumn
coloring. Showy in poor arid situa	itions-	-good for	massing.
12 to 18 in	.15	1.20	10.00
18 to 24 in	.25	2.00	18.00
2 to 3 ft	.30	2.50	20.00
cotinus. Smoke Tree. 10'-12' Purple fring	ge.		
18 to 24 in	.50	5 ()	
2 to 2½ ft	.55	5.00	
$2\frac{1}{2}$ to 3 ft	.65	6.00	
3 to 4 ft	.80	7.50	
glabra. Smooth Sumach. 10'-12' Crimson autumn coloring. Thrives in poor	soils.	s in bunc	hes—rich
2 to 3 ft	.20	1.80	14.00
3 to 4 ft	.30	2.50	18.00
4 to 5 ft	.35	3.00	22.00
5 to 6 ft	.40	3.50	
glabra laciniata. Cutleaf Smooth Sumacl			
leaves—grows slowly. Striking cr		autumn	coloring.
18 to 24 in 2 to 2½ ft	.35	3.20	
2 to 2½ ft	.40	3.60	
javanica (osbecki). Java Sumach. 8'-10'	Has h	andsome	foliage.
2 to 2½ ft	.35		
typhina. Staghorn Sumach. 15'-18' Pi	cturesa	ue habit	-brilliant
autumn effect. Useful for park and g	general		
2 to 3 ft	.20		14.00
2 to 3 ft	.25	2.00	18.00
4 to 5 ft	.35	3.00	22.00
typhina laciniata. Cutleaf Staghorn Sumach	n. 14'	-15' Lea	ves finely
cut giving attractive feathery appeara	ance. E	Brilliant in	autumn.
2 to 3 ft	.30	2.50	
3 to 4 ft	.35	2.00	22.00
4 to 5 ft	.40	3.50	30.00

24	F. & F. NURSERIES TRADE	LIST		
		Each	Per 10	Per 100
RIBES odor	atum (aureum). Golden Currant.	7'-8'	Fragrant	yellow
	flowers in May. Useful for under			
	2 to 3 ft	\$.30 .35	\$2.50 3.00	
	3 to 4 ft	.33	3.50	
ROBINA his	spida. Rose Acacia. 5'-6' Attractiv			
	June. Soon develops into a mass.			
	18 to 24 in	.30	2.50	\$20.00
	2 to 3 ft	.35	3.00 3.50	22.00 27.00
		.40		
ROSA bland	la. Meadow Rose. 4'-5' Pink, May.			red bark.
	1½ to 2 ft	.25	2.20 2.50	
	2 to 2½ ft	.30	2.50	
humilis.	Pasture Rose. 3'-4' Pink, May-			
	2 ft	.25	2.20	
lucida.	Virginia Rose. 5'-6' Pink, June.			ruits.
	15 to 18 in	.20	1.50	10.00
	$1\frac{1}{2}$ to 2 ft	.25	2.20	15.00
	2 to 2½ ft	.30	2.50	20.00
multiflo	ra japonica. Japanese Rose. 9'-10' free flowering and fragrant.	White	, June. V	igorous,
	2 to 3 ft	.25	2.20	
	3 to 4 ft	.30	2.50	
nitida.	Bristly Rose. 3'-4' Deep pink, Ju	une. C	ood for	holding
	banks and general mass planting-	-good a	utumn co	loring.
	15 to 18 in	.20	1.80	16.00
	1½ to 2 ft	.25	2.20	20.00
	2 to 2½ ft	.30	2.70	25.00
palustris	(Carolina). Swamp Rose 6'-7'	Pink, M	ay-July.	
	15 to 18 in	.20	1.80	16.00
	18 to 24 in	.25	2.20	
rubigino		ink flov	vers, June	. Good
	foliage with aromatic odor.			
	18 to 24 in	.30	2.50	22.00
	2 to $2\frac{1}{2}$ ft	.35	3.00	25.00
rubrifoli	a (ferruginea). Redleaf Rose. 5'-		s distinct	purplish-
	red leaves and bark—good winter	-		
	18 to 24 in	.25	2.20	
rugosa.	Red Rugosa Rose. 4'-5' Handsome	shrub,	arge pink	flowers,
	June-Sept. Rich green foliage and either in shrubbery border or as he	d large dge.	red fruits	—useful
	1½ to 2 ft	.25	2.00	18.00
	2 to 3 ft	.30	2.80	25.00
	3 to 4 ft	.35	3.00	27.00
rugosa a	lba. White Rugosa Rose. 4'-5'			
	18 to 24 in	.35	3.00	
	2 to 3 ft	.40	3.50	30.00
	3 to 4 ft	.50	4.00	35.00
setigera.	Prairie Rose. 5'-6' Deep rose flo	wer, Jun	ie-July—v	igorous.
	18 to 24 in	.20	1.80	
	2 to 3 ft	.25	2.20	
	3 to 4 ft	.30	2.50	
spinosiss	ima. Scotch Rose, 3'-4' A dain	ty grow	er but co	mpact—
	branches covered with soft thorns-l	nas attra	ctive smal	l foliage.
	12 to 15 in	.30		
	15 to 18 in	.40		
	18 to 24 in	.50		

SPRINGFIELD, NEW JERS	EY		25
	Each	Per 10	Per 100
ROSA wichuriana. Memorial Rose. White.	Partie	cularly us	seful for
covering banks or boulders.			
	\$.30	\$2.50	\$22.00
3 to 4 ft	.35	3.00	25.00
RUBUS odoratus. Flowering Raspberry. 5'-	6' Ro	se colored	fragrant
flower produced all summer.—good	tor cov		ly banks.
2 to 3 ft	.30	2.20 2.50	
4 to 5 ft	.35	3.50	25.00
SAMBUCUS canadensis. American Elder. 8'-9 Fragrant flowers, June-July, black	' Fine fruits e	for swamp	y places.
2 to 3 ft		2.50	
3 to 4 ft	.32	2.80	
4 to 5 ft	.35	3.00	
canadensis acutiloba. Cutleaf American Elde	er. 8'-9		
2 to 3 ft	.30	2.70 3.00	25.00
4 10 311	.40	3.50	
canadensis aurea. Golden Elder. 10'-12' C	onspici	ous yellov	v foliage.
2 to 3 ft	.30	2.70	25.00
3 to 4 ft	.35	3.00	27.00
pubens. Scarlet Elder. 7'-8' Flowers in	.40	3.50	30.00
pubens. Scarlet Elder. 7'-8' Flowers in fruits ripen in June—very attractive	Aprii-	-iviay. Di	ngnt rea
2 to 3 ft	.30	2.70	
3 to 4 ft	.35	3.20	
4 to 5 ft	.40	3.60	
racemosa. European Red Elder. 7'-8' B			
2 to 3 ft	.30	2.70 3.20	
3 to 4 ft	.40	3.60	
SORBARIA aitchisoni. Kashmir False Spired		5' Grace	ful, com-
pound foliage-flowers creamy wh	ite, July	y-Sept.	
2 to 3 ft	.35	3.20	30.00
3 to 4 ft	.40	3.50 4.50	32.00
4 to 5 ftarborea glabrata. Smooth False Spirea.	.30	4.50	
18 to 24 in	.40	3.50	
18 to 24 in 2 to 2½ ft	.50	3.50 4.50	
sorbifolia. Ural False Spirea. 4'-5' Fluff		s of white	flowers,
June-Aug.			
2 to 3 ft	.30	2.50	
SDIDEA prouts Garland Spirag 5' 6' Sma		3.00	100 110511
SPIREA arguta. Garland Spirea. 5'-6' Sma free flowering, May. More vigore	n ngm ous tha	n Thunbe	rgi.
12 to 18 in	.20		8
18 to 24 in	.25		
2 to 2½ ft	.30		
billardi. Billard Spirea. 5'-6' Bright pink Oct. Valuable for dry places.	fluffy	flower spi	kes, July-
18 to 24 in	.20		
2 to 3 ft	.25	2.20	20.00
3 to 4 ft	.30	2.70	25.00
4 to 5 ft	.35	3.20	28.00
bumalda. Bumalda Spirea. 3' Light p good "facing" shrub.	ink flo	wer, July-	-Sept. A
18 to 24 in	.35	3.00	25.00
2 to 2½ ft	.40		30.00

20 1. OT. IVORDERIED TRIBE	LIST		
	Each	Per 10	Per 100
SPIREA bumalda Anthony Waterer. Waterer S	pirea.	3' De	eper rose
pink than preceding—very free flow	ering a	ll summe	er.
12 to 15 in\$.25	\$2.00	18.00
15 to 18 in	.28 .30	2.50 2.70	22.00 25.00
2 to 2½ ft	.40	3.50	32.00
$2\frac{1}{2}$ to 3 ft	.50	4.00	35.00
bumalda froebeli. Froebel Spirea. 4' Simil than preceding. Flowers are lighter			vigorous
18 to 24 in	.25	2.00	
2 to 2½ ft	.30	2.50	
fortunei (callosa rosea). Fortune Spirea. 3' vigorous form of following variet leaves red.	y. Yo	flowering oung gro	g—more wth and
2 to 2½ ft	.25		
japonica (callosa alba). Japanese Spirea. Purplish-green foliage when young.	3′ V Bloom	White, Juns freely.	ine–July.
12 to 15 in	.25	2.20	20.00
15 to 18 in	.30	2.70	25.00
18 to 24 in	.35	3.00	
nipponica rotundifolia. Big Nippon Spirea good dark green leaves persisting till	late fal	11.	e, June—
18 to 24 in	.30	2.50	22.00
2 to 3 ft	.35	3.00	25.00
opulifolia. Ninebark. 9'-10' Creamy white for shade.			us, good
2 to 3 ft	.20 .28	1.80 2.50	16.00 22.00
4 to 5 ft	.30	2.80	25.00
opulifolia aurea. Goldleaf Ninebark. 9'-10'			
2 to 3 ft	.20	1.80	
3 to 4 ft	.30	2.70	
4 to 5 ft	.35	3.20	
prunifolia. Bridal-Wreath. 7'–8' White, M handsome dark green foliage turning	lay. I orang	Free flow e in auto	vering— ımn.
2 to 3 ft	.35	3.00	25.00
3 to 4 ft	.40	3.50	30.00
4 to 5 ft	.45	4.00	35.00
reevesiana. Reeves Spirea. 7'-8' Pure whit arching habit—retains leaves till late.			Graceful
2 to 3 ft	.30 .35	2.50 3.00	20.00 25.00
thunbergi. Thunberg Spirea. 4'-5' Slender a with pure-white flowers, April-May green leaves. Valuable for seaside pl	. Sm	all feath	
12 to 18 in	.25	2.00	18.00
12 to 18 in	.30	2.50	22.00
2 to 2½ ft	.35 .40	3.00 3.50	28.00 32.00
2½ to 3 ft	.50	4.50	32.00
tomentosa. Hardhack. 3'-4' Wooly rose-p			ilv-Sent
Leaves brownish underside—good in	masses	for low	ground.
18 to 24 in	.20	1.80	
2 to 3 ft	.25	2.20	
3 to 4 ft	.30		

bittitti i i i i i i i i i i i i i i i i
Each Per 10 Per 100
SPIREA van houttei. Van Houtte Spirea. 8'-9' White, May-June.
Graceful habit—extremely free flowering and very adaptable.
2 to 2½ ft \$.25 \$2.20 \$20.00
2½ to 3 ft
4 to 5 ft
STAPHYLEA colchica. Colchis Bladder Nut. 10' 12' Flowers white,
May-June. Fragrant—decorative seed pods.
2 to 3 ft
3 to 4 ft
4 to 5 ft
STEPHANANDRA flexuosa. Cutleaf Stephanandra. 5'-6' Graceful
compact habit—handsome foliage, similar to small maple-leaf.
18 to 24 in
3 to 4 ft
STYRAX japonica. Japanese Storax. 12'-15' White bell-shaped pen-
dant flowers, June-July. Makes a handsome specimen.
18 to 24 in
2 to 3 ft
3 to 4 ft
4 to 5 ft
SYMPHORICARPOS racemosus. Snowberry. 5'-6' Conspicuous white berries, attractive foliage—best in half shady moist
white berries, attractive foliage—best in half shady moist
locations.
18 to 24 in
2 to 3 ft
3 to 4 ft
4 ft
vulgaris. Coralberry. 4'-5' More compact than preceeding. Coral
red berries persisting throughout winter—for shady dry spots.
18 to 24 in
2 to 3 ft
3 to 4 ft
4 ft
SYRINGA chinensis (rothomagensis). Chinese Lilac. 8'-9' Slender
branches, graceful. Violet flowers in May-free flowering.
18 to 24 in
2 to 3 ft
3 to 4 ft
chinensis saugeana. Purple Chinese Lilac. 8'-9' Deep purple flowers.
18 to 24 in
2 to 3 ft
3 to 4 ft
japonica. Japanese Tree Lilac. 18'-20' Loose bunches creamy white
flowers, June-July. Handsome foliage.
18 to 24 in
2 to 3 ft
3 to 4 ft
4 to 5 ft
josikaea. Hungarian Lilac. 9'-10' Violet flowers, June. Has good
deep green rough foliage.
18 to 24 in
2 to 3 ft
pekinensis. Peking Lilac. 12'–15' Creamy white flowers, June. Handsome foliage until late autumn. Grows quickly.
Handsome toliage until late autumn. Grows quickly.
3 ft

	Each		Per 100
SYRINGA persica. Persian Lilac. 9'-10' Bloom		—lilac, N	lay-June.
18 to 24 in	\$.30		
2 to 3 ft	.35		
3 to 4 ft	.45		
persica alba. White Persian Lilac. 9'-10'			
18 to 24 in	.35		
2 to 3 ft	.45		
_ 10 0 / 1			
villosa. Late Lilac. 7'-8' Pale pinkish-lilac,			
18 to 24 in	.30	\$2.50	\$22.00
2 to 3 ft	.40	3.50	30.00
3 to 4 ft	.50	4.00	
vulgaris. Common Purple Lilac. 10'-12'	Bloom	s in early	May.
18 to 24 in	.25	2.20	
2 to 3 ft	.30	2.50	
3 to 4 ft	.35	3.00	28.00
4 to 5 ft	.40		
vulgaris alba. Common White Lilac. 10'-	12'		
18 to 24 in	.30	2.80	25.00
2 to 3 ft	.40	3.50	30.00
3 to 4 ft	.45	4.00	35.00
0 10 11			33.00
Alphonse Lavalle. Double light purple. (ov			
18 to 24 in	.35	3.00	
2 to 2½ ft	.45	4.20	40.00
3 ft	.60		
Charles the Tenth. Reddish purple, single.	(own ro	oots)	
18 to 24 in	.35		
2 to $2\frac{1}{2}$ ft	.45		
2½ ft	.50		
Michel Buchner. Double lilac. (own roots)			
18 to 24 in	.35	3.00	
2 to 2½ ft	.45	4.20	40.00
2½ ft	.50	4.20	40.00
3 ft	.60		
Marie LeGraye. Single white. (own roots)			
18 to 24 in	75	3.00	
2 to 2½ ft	.35 .45	4.20	
3 ft	.60	4.20	
Mme. Lemoine. Double white. (own roots)			
18 to 24 in	.35		
18 to 24 in	.45 .60		
Mars Cosimin Domina D. 11 1's (
Mme. Casimir Perrier. Double white. (owr			
18 to 24 in	.35		
2 to 2½ ft	.45		
	.60		
President Grevy. Double blue. (own roots)			
18 to 24 in	.35	3.00	
2 to 2½ ft	.45	4.20	
3 ft	.60	5.00	
Rubra DeMarly. Single, light blue. (own ro			
18 to 24 in	.35	3.00	
2 to 2½ ft	.40	3.70	35.00
3 ft	.50	4.50	
Ludwig Spaeth. Single, reddish purple. (ow	n roots)		
18 to 24 in	.35		
2 to 2½ ft	.45		

SI MINOTIEED, INEW JEIG			27
	El-	D 10	Per 100
CUDINGA IV. D.II. D. II. II.			Per 100
SYRINGA Wm. Robinson. Double, violet pink.	(own	roots)	
18 to 24 in	\$.35		
2 to 2½ ft	.45		
TAMARIX africana. African Tamarix. 12'-14' H	Pink, A	oril-May.	Feathery
gray-green foliage. Effective near	water-	thrives at	seashore.
2 to 3 ft	.25	\$2.00	\$15.00
3 to 4 ft	.30	2.50	22.00
2 to 3 ft	.35	3.00	25.00
gallica. French Tamarix. 8'-9' Lt. pink, Ma		hlue-gree	n foliage
2 to 3 ft		2.50	20.00
3 to 4 ft	.35	3.00	25.00
4 to 5 ft	.40	3.50	23.00
			D
pentandra (aestivalis). Five Stamen Tama flowers late.	arix.	10-12	Deep rose
	7.0		
2 to 3 ft	.30		
3 to 4 ft	.35		
VACCINIUM corymbosum. Highbush Blueber	ry. 5'-	-6'	
1½ to 2 ft	.30		
2 to 2½ ft	.35		
1½ to 2 ft	.40		
VIBURNUM acerifolum, Maple Leaved Viburn		'-5' Wh	ite. Mav-
June. Black fruits, maple-like leaves			
-good for dry shady places.		51 1	
18 in	.30	2.50	
2 ft	.35	3.20	
3 ft	.40	3.50	
americanum (oxycoccus). American Cranb	arru Ri	10h 2'_	9' Bright
scarlet berries in large bunches pers	sisting a	ll winter.	Diigit
18 to 24 in		2.50	
2 to 3 ft	.40	3.50	32.00
2 to 3 ft 3 to 4 ft	.45	4.20	40.00
cassinoides. Witherod. 5'-6' White, June-J to dark blue. Rich autumn color	ing be	Imes pink	cnanging
to dark blue. Nich autumin color	.30	2.80	
18 to 24 in	.35		25.00 30.00
3 to 4 ft	.40		30.00
dentatum Arrow Wood. 10'-12' White,	May-J	une. Be	rries blue-
black, autumn coloring purple an	ia rea-	-tnrives ii	
2 to 3 ft	.30	2.70	
2 to 3 ft	.40	3.20 3.50	28.00 32.00
dilatatum. Linden Viburnum. 8'-9' V			
showy berries persisting. Handso			
18 to 24 in		3.00	25.00
2 to 3 ft	.40		32.00
3 to 4 ft	.45	4.00	
lantana. Wayfaring Tree. 15'-18' Whit	e, May	-June. I	Handsome
lantana. Wayfaring Tree. 15'–18' Whit dark green wrinkled leaves. Berri	es red,	changing	to black.
18 to 24 in	.35	3.00	25.00
18 to 24 in	.40	3.50	32.00
3 to 4 ft	.45	4.00	
lantana rugosum. Wrinkle Leaf Wayfa	ring T	ree. 15'	-18' Has
larger and more wrinkled leaves th	nan pred	eding.	
18 to 24 in			
2 to 3 ft	.40	3.50	32.00
3 to 4 ft	.45		

30	F. & F. NURSERIES TRAI	DE LIST		
		Each	Per 10	Per 100
VIBLIENIUM	M lentago. Nannyberry. 18'-20'			
VIBURNUI	some shining leaves. Blue-black	fruits. Spl	lendid for	massing.
	18 to 24 in		\$2.70	\$25.00
	2 to 3 ft	.35	3.00	28.00
	3 to 4 ft	.40	3.50	32.00
	4 to 5 ft		4.50	40.00
molle.	Kentucky Viburnum. 10'-12' L but otherwise similar to "dentatu	.arger, da	rker gree	n leaves,
			3.00	25.00
	2 to 3 ft		3.50	30.00
	4 to 5 ft		4.00	30.00
nudum.	Smooth Witherod, 7'-8' Thi	ck leather	v shinin	g leaves.
214141	Creamy flowers, June-July.	Berries p	ink, char	iging to
	blue-black.			
	18 to 24 in		3.20	
	2 to 3 ft	.45	4.00	_
opulus.	European Cranberry. 9'-10'	Similar to	America	ın Cran-
	berry but has smaller leaves and			
opulus	sterile. Common Snowball. 9'-1	10' Has s	showy ro	ind head
	of white flowers, May-June. N	lo fruits a		2 d.
	1½ to 2 ft	.30	2.70 3.50	32.00
	3 to 4 ft	.50	4.50	42.00
	0 10 1 11			
opulus	nanum. Dwarf Cranberry. 1½'s shrub. Rarely flowers. Very c		il edging	or facing
	6 to 8 in		2.00	16.00
	8 to 10 in		2.20	18.00
	10 to 12 in	.30	2.50	10.00
pubesce	ens. Downy Viburnum. 8'-10'			
•	15 to 18 in	.30	2.70	
	18 to 24 in	.45	4.00	
prunifol	ium. Black Haw. 10'-12' Pure	white fl	owers, Ap	ril-June.
	Blue-black glaucous berries. Stur			ne shrub.
	18 to 24 in	.35	3.20	
	2 to 2½ ft	.45 .50	4.20	
.1.11.11			4.50	,
siebolai	. Siebold Viburnum. 9'-10' Wh changing to black. Handsome k	ite, May-j arge dark	une. Ber	ries pink,
	18 to 24 in		2.50	cs.
	2 to 3 ft	.40	3.50	
		.50	4.50	
	3 to 4 ft	.60	5.00	45.00
tomento	osum. Doublefile Viburnum. 7			of white
	flowers, June. Berries red to bla			
	18 to 24 in		2.50	70.00
	2 to 3 ft	.35 .45	3.20 4.20	30.00 40.00
	4 to 5 ft	.50	4.50	40.00
tomento	osum plicatum. Japanese Snowl			v white
2311101110	flowers in balls, June. Handson	ne foliage,	purple in	autumn.
	15 to 18 in	.30	2.70	25.00
	1½ to 2 ft	.40	3.50	32.00
	2 to 2½ ft	.45	4.20	38.00
	2½ to 3 ft	.50	4.50	
	3 to 4 ft	.60 .75	5.00 7.00	
tomento	sum plicatum standard. Tree form		7.00	
Comento	3 to 4 ft	1.00	8.50	
		1.00	0.00	

	Each	Per 10	Per 100	
VITEX agnus castus. Chaste Tree. 4'-5' Dainty shrub—lilac flowers, AugSept. Gray-green star-shaped leaves—prefers sun.				
18 to 24 in 2 to 3 ft	\$.20 .25	\$1.80 2.20	\$20.00	
WEIGELA Abel carriere. Carrier Weigela. 8'-9			oat, June.	
2 to 3 ft	.30	2.50 3.20		
amabilis. Rose Weigela. 7'-8' Light Pinl				
2 to 3 ft	.30	2.50	20.00	
3 to 4 ft	.35 .45	3.00 4.00	27.00	
candida. White Weigela. 7'-8' Large pu				
2 to 3 ft		3.00		
3 to 4 ft	.40	3.50		
4 to 5 ft	.45	4.00		
Desbois. Desbois Weigela. 6'-7' Deep ro			ısely.	
2 to 3 ft	.30 .35	2.50 3.00		
Eva Rathke. Red Flowering Weigela. 4'			A	
Most floriferous.	−5 Ca:	rmine, ju	ne-Aug.	
11/2 to 2 ft	.35	3.20	30.00	
2 to 2½ ft	.45	4.00	35.00	
2 to 2½ ft	.50 .55	4.50 5.00	40.00 47.00	
floribunda. Crimson Weigela. 7'-8' Crims	on June		owering.	
1½ to 2 ft	.35	3.00	owering.	
2 to 3 ft	.40	3.50		
Lavalle. Lavalle Weigela. 7'-8' Bright C	rimson.			
2 to 3 ft		2.70	25.00	
3 to 4 ft	.35	3.00	_	
nana variegata. Variegated Leaf Weigela. variegated leaves—dwarf compact g	growth.	Pale pink		
18 to 24 in		2.70	25.00	
2 to 2½ ft	.40 .45	3.50 4.00	30.00 35.00	
2½ to 3 ft	.50	4.50	40.00	
rosea. Pink Weigela. 7'-8' Showy pink June. Vigorous grower.	flowers	freely p	roduced,	
$1\frac{1}{2}$ to 2 ft	.25	2.00	16.00	
2 to 3 ft	.30 .35	2.50 3.00	20.00 25.00	
3 to 4 ft	.40	3.50	25.00	
steltzneri. Steltzner Weigela. 6'–7' Dark			se.	
2 to 3 ft	.30	2.70		
3 to 4 ft	.40	3.50		
Van Houtte. Van Houtte Weigela. 7'-8'				
2 to 3 ft	.30	2.50		
3 to 4 ft	.35			
succeed on dry sandy soil, banks et	C.	ound cov		
12 to 15 in	.20	1.50	12.00	
15 to 18 in	.25	2.00	18.00	

Bush Roses

H. P. indicates Hybrid Perpetual or June Rose.
 H. T. indicates Monthly Blooming Rose.
 50c. each; 4.50 ten; 40.00 hundred

Augustus Hartman, H. T., red. Columbia, H. T., dark pink. Constance, H. T., yellow. Crimson Queen, H. T., red. Dora Hansen, H. T., lt. pink. Duchess of Wellington, H. T., yel. Etoile de France, H. T., red. Florence Pemberton, H.T., lt.pink. Frau Karl Druschki, H. P., white. Gen. McArthur, H. T., red. George Ahrends, H. P., It. pink. George C. Waud, H. T., red. Gruss an Teplitz, H. T., red. Gustav Grunevald, H.T., dark pink. Harry Kirk, H. T., yellow. Hoosier Beauty, red. H. V. Machin, H. T., red. Jonkheer J. L. Mock, H.T., dk. pink. Kaiserine A. Victoria, H.T., white. Killarney Queen, H. T., dark pink. Lady Alice Stanley, H.T., dk. pink. Lady Hillingdon, H. T., yellow. Lady Pirrie, H. T., yellow shaded

Lady Ursula, H. T., lt. pink.La Tosca, H. T., lt. pink.Los Angeles, H. T., yellow shaded pink.

Louis Catherine Breslau, H. T., yellow shaded pink.

Mad. Butterfly, H. T., lt. pink.
Mad. C. Testout, H. T., dark pink.
Mad. Edmee Metz, H. T., lt. pink.

Mad. E. Herriot, H. T., yellow shaded pink.

Mad. Jules Bouche, H. T., white. Madam Ravary, H. T., yellow.

Milady, H. T. red.

Magna Charta, H. P., dark pink. Miss Cynthia Forde, H.T.,dk.pink. Miss Lolita Armour, H. T., yellow shaded pink.

Mrs. Aaron Ward, H. T., yellow.
Mrs. A. R. Waddell, H. T., yellow shaded pink.

Mrs. Charles Russell, H.T., dk. pink. Mrs. John Laing, H. P., dark pink. Mrs. W. C. Miller, H. T., dk. pink. Ophelia, H. T., lt. pink. Paul Neyron, H. P., dark pink.

Radiance, H. T., dark pink. Red Radiance, H. T., red. Souv. de C. Pernet, H., T., yel-

low. \$1.00 each.
Ulrich Brunner, H. P., red.
White Killarney, H. T., white.

Baby Ramblers

Edith Cavell, Crimson. Ellen Poulsen, Pink. Geo. Elgar, Yellow. Mrs. Cutbush, Pink. Orleans, Red. White Baby Rambler. Red Baby Rambler. Lafayette, Red.

Climbing Roses

e e e e e e e e e e e e e e e e e e e	Each	Per 10
American pillar. Single red, white center.		
18 to 24 in	\$.30	
2 to 3 ft	.40	
Crimson rambler. Crimson.		
3 to 4 ft	.35	
Dr. Van Fleet. Shell Pink.		
18 to 24 in	.25	
2 to 3 ft	.30	
3 to 4 ft	.40	
Dorothy Perkins. Pink.		
18 to 24 in	.25	\$2.20
2 to 3 ft	.30	2.50
3 to 4 ft	.35	3.00

	Each	Per 10	Per 100
CLIMBING ROSES - Continued			
Dorothy Perkins. White.	£ 0.5	¢0.00	#00.00
18 to 24 in	\$.25 .30	\$2.20 2.50	\$20.00
3 to 4 ft	.35	3.00	
Excelsa. Crimson.	.55	3.00	
18 to 24 in	.25	2.20	20.00
2 to ·3 ft	.30	2.50	22.00
3 to 4 ft	.35	3.00	25.00
Gardenia. Yellow. 2 to 3 ft			
2 to 3 ft	.30	2.70	
3 to 4 ft	.40	3.50	
Hiawatha. Single red.	.30	2.50	22.00
2 to 3 ft	.35	3.00	22.00
Paul's scarlet climber. Large brilliant scarle		3.00	
2 to 3 ft	.35	3.00	
3 to 4 ft	.40	3.50	
Silver moon. Semi-double white.			
2 to 3 ft	.45		
3 to 4 ft	.50		
Vines			
ACTINIDIA arguta. Bower Actinidia. 20'-3	O' Gree	nish wh	ite July
Rich dark green foliage—yellow b	erries.	-111511 **1	inc, jury.
2 to 3 ft		3.50	30.00
3 to 4 ft	.45	4.00	35.00
AKEBIA guinata, Fiveleaf Akebia, 15'-20' D	ainty bea	autiful vir	ne, purple
flower, May. Deep green leaves-	-persistin	g till win	iter.
2 yr	.30	2.70	25.00
AMPELOPSIS engelmanni. Engelmann Cree clinging woodbine—very hardy.			
2 yr 3 yr. extra quinquefolia. Virginia Creeper. 30'-50'	.20	1.80	16.00
5 yr. extra	.25	2.00	1 6
autumn coloring.			
2 yr	.20	1.80	12.00
3 yr. extra		0.00	
1, 1 ; I () (0) FOL D. (1)	.25	2.00	15.00
veitchi. Japanese Creeper. 40'-50' Brillia	.25 ant autur		
veitchi. Japanese Creeper. 40'-50' Brilli berries turning black—closely self	.25 ant autur clinging.		
veitchi. Japanese Creeper. 40′–50′ Brilli. berries turning black—closely self l yr	.25 ant autur clinging. .25		
veitchi. Japanese Creeper. 40'–50' Brilli. berries turning black—closely self 1 yr	.25 ant autur clinging. .25 .35	mn color	ing, blue
veitchi. Japanese Creeper. 40'-50' Brillin berries turning black—closely self 1 yr	.25 ant autur clinging25 .35 ' Show Roots a	mn color y trumpe	et shaped
veitchi. Japanese Creeper. 40'-50' Brillin berries turning black—closely self 1 yr	.25 ant autur clinging. .25 .35 ' Show Roots a	mn color y trumpe as it climb 1.00	et shaped os.
veitchi. Japanese Creeper. 40'-50' Brillin berries turning black—closely self 1 yr	.25 ant autur clinging. .25 .35 ' Show Roots a	y trumpe us it climb	et shaped os.
veitchi. Japanese Creeper. 40'-50' Brillin berries turning black—closely self 1 yr	.25 ant autur clinging. .25 .35 ' Show Roots a .15 .20 .30	y trumpe us it climb 1.00 1.50 2.50	et shaped os. 7.00 12.00 20.00

 3
 yr.
 .30
 2.50
 20.00

 3
 yr. extra
 .35
 3.00
 22.00

 scandens.

 American Bittersweet. 20'-25' Most adaptable vine, with orange and red berries that retain color when cut and dried.

 2
 yr.
 .25
 1.80
 12.00

 3
 yr.
 .30
 2.50
 15.00

 3
 yr.
 .35
 3.00
 20.00

decorative orange and crimson berries which last all winter.

F. & F. NURSERIES TRADE	LIST		
	Each	Per 10	Per 100
CLEMATIS paniculata. Sweet Autumn Clematis.	. 20'-3	0' White	fragrant
flowers, Sept. Wooly seed pods al	so attra	active.	
2 vr	.25	\$2,20	\$20.00
2 yr. extra	.30	2.50	22.00
2 yr	.35	3.00	25.00
EUONYMUS. (See Evergreens)			
HEDERA helix. English Ivy. 20'-50' Evergre	en αc	and group	d cover
in shade.	en ge	ou groun	u cover
1 yr	.20		
l yr 2 yr	.25		
LONICERA japonica (brachypoda). Japanese	Hone	eysuckle.	15'-20'
Rapid grower and blooms freely fro	om Jun	e to Sept.	Useful
for covering steep banks. Almost	evergree	en.	
2 yr	.20		
2 yraurea. Japanese Golden Honeysuckle.	15'-20	' Leaves	veined
golden vellow '			
2 yr	.20	1.80	
3 yr	.25	2.00	16.00
halliana. Hall Japanese Honeysuckle. 15'		Grows ra	mpantly.
Blooms freely, deliciously fragrant.			
2 yr	.20	1.80	15.00
3 yr	.25	2.20	
heckrotti. Everblooming Honeysuckle. 15'-	-20' F	lowers pu	rple out-
side, yellow inside, July-Sept.			
2 yr 3 yr	.30		20.00
3 yr	.35	3.00	
sempervirens. Trumpet Honeysuckle. 15'-	20′ Br	right scarle	et showy
tlowers, July-Sept.			
2 yr	.30	2.50	
3 yr	.35		100
LYCIUM barbarum. Matrimony Vine. 10'-12'	Viole	t flowers	in June,
followed by bright red fruits. For			
18 to 24 in	.18	1.50	12.00
2 to 3 it	.20	1.80	15.00
chinensis. Chinese Matrimony Vine. 12'- fruitful than preceding, otherwise si	15′ M	lore vigor	ous and
			10.00
18 to 24 in	.20	1.50	15.00
PUERARIA thunbergiana. Kudzu Vine. 40'- rapid. Purple flowers in August.	50 G	rowth ren	narkably
	.25	2.00	
1 yr	.30	2.00 2.50	
WISTERIA frutescens. American Wisteria. 20	, 30		
in short clusters in June.	-25 L	liac purpi	llowers
2 to 3 ft	.40	3.50	
3 to 4 ft	.45	4.00	
multijuga. Long Cluster Wisteria. 40'-50'	Doon	blue long	aluetore
May. Seen to best advantage w	hen tra	ined on	old trees
or open trellises.	iicii tit		ord trees
18 to 24 in	.40	3.50	
2 to 3 ft	.45	4.00	
sinensis. Chinese Wisteria. 40'-50' Purp			about a
week before preceding.	- Diuc		Dout a
2 to 3 ft	.45	4.00	35.00
3 to 4 ft	.50	4.50	40.00
sinensis alba. White Chinese Wisteria. 40			
18 in	.40	3.50	
2 to 3 ft	.45		

Conifers and Evergreens

These have all been transplanted, most of them several times, giving ample room for full development, and frequently sheared to produce compact, symmetrical specimens. All balled and burlapped at the prices named, except where marked with a **

Each Per 10 Per 100

ABIES cephalonica. Greek Fir. 60'-75' Has stiff shining dark green leaves. Handsome symmetrical specimen.

2½ ft\$2.75

concolor. White Fir. 70'-80' Grows quickly and forms symmetrical beautiful specimen. Large gray-green needles.

 18
 in
 2.00

 2
 ft
 2.75

 2½
 ft
 3.50

 3
 ft
 4.50

douglasi (pseudotsuga). Douglas Fir. 70'-80' Very hardy—dark bluish-green coloring. Prefers well drained situation.

2 tt 2.00 2½ tt 2.50 5 tt 3.25 4 ft 5.00

nordmanniana. Nordmann Fir. 60-70' Grows slowly when young. Flat leaves, rich shining green above, silvery white beneath.

ANDROMEDA catesbaei (See Leucothoe and Pieris)

AZALEA amoena. Japanese Azalea. $2\frac{1}{2}$ '-3' Conspicuous purple-red flowers, April-May. Leaves turn rich bronze-green in winter.

6 to 8 in.** . .60 \$5.50 \$50.00 8 to 10 in.** . .75 6.00 55.00 10 to 12 in . .1.00 9.00 85.00 12 in . .1.25

hinodegiri. Red Japanese Azalea. (Pot Grown) 3'-4' Larger leaves and looser growth than above, flowers very bright carminepink—effective in masses or with Rhododendron

kaempferi. (See Shrubs)

BERBERIS ilicifolia. Hollyleaf Barberry. 5'-6' Holly-like leaves persisting till new tohage appears—tlowers yellow.

BIOTA orientalis. Oriental Arborvitae. 20'-25' Rather stiff columnar habit, bright green foliage, bronze in winter, good accent plant.

15 to 18 in	.60	5.00	
1½ ft		6.50	60.00
2 ft	1.00	9.50	90.00
2½ ft	1.75	16.50	
3 ft	2.50	23.50	
3½ ft	3.00		

5½ ft 3.00 t tt 3.75

36	F. & F. NURSERIES TRADE LIST		
BIOTA orien	Each P talis aurea conspicua. Goldspire Arborvitae golden yellow in spring, bronze yellow in w	Per 10 Per 10 2. 7'-8' Brig inter. Narro	ht
	upright growth.		
	15 in	11.00	
		13.50	
	2 ft	23.50	
	3 ft 4.50		
orientalis		orms a compa	act
	oval-shaped specimen. Good fresh green co		
	12 in		
orientalis	15 in	5'-6' A der	250
Orientaris	slower growing form. Rich green foliage.	o ii dei	150
	12 to 15 in 1.25		
	15 to 18 in		
orientalis	18 to 24 in	7'-8' Assum	nes
orientuns	rich deep golden bronze color in winter. Con	npact, column	ar.
	15 in 1.25	11.00	
		13.50	
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	23.50	
orientalis	nana aurea. Berckman Golden Arborvitae.	21/4'-3' A g	em
01101111111	for dwarf planting-compact roundish shap	oe, warm gold	len
	yellow foliage. Especially good for formal w	vork and edgis	
	6 to 8 in	6.5C \$50.	
	8 to 10 in	7.50 65. 9.00 80.	
		11.50	.00
	15 in 1.50		
	18 in 2.50		
Rosedale	Rosedale Arborvitae. 3'-4' Fine foliage	-soft texture	
BUXUS semi	1.50 Pervirens. Box. (Bush form) 12'-15' Useful for 8 to 10 in. ** bushy	or formal hede	205
Boneo semp	8 to 10 in.** bushy	3.50 25.	.00
	10 in. ** "55	4.50 30.	.00
	12 in. ** "	6.00 45. 7.00 65.	.00
	15 in. "	10.00	.00
	18 in., sheared 3.00	10.00	
	2 ft., sheared 4.00		
Globes.	(clipped)		
	16 to 18 in		
	22 to 24 in		
Pyramid	al. (clipped)		
	24 to 28 in 5.00		
	28 to 32 in	Per 10 Per 1	00
suffrutice			
Sumune	3 in. **		.00
	4 in. **	1.50 9.	.00
	6 in. **		.00
	8 in. ** 10 in. **		.00
CALLUNA.	Scotch Heather. 1'-2' A splendid evergree		
OMEDOWA.	Best in large masses on well-drained slopes.	ii giodiid cov	v C1 .
vulgaris.	Purple Heather.	2.20	00
vulgaris		2.20 20	.00
vuigaris	alporti. Alport Heather. 8 to 10 in.** .30	2.50 22	.00
vulgaris		3.00 27	.00
	rubra. Red Heather.	3.00 21	.00

)		
	Each	Per 10	Per 100
CHAMAEDAPHNE calyculata. Leatherle	eaf. 3'-4'	White flo	owers in
April. Leaves persist through	out winter.	Attractiv	e, useful.
12 to 15 in	\$.75	\$ 6.00	
12 to 15 in	1.10	10.00	
18 to 24 in	1.35		
COTONEASTER acutifolia. 5'-6'			
2 ft	60	5.00	
2½ to 3 ft	75	6.00	
horizontalis davidiana. Rock Cotonea			box-like
leaves, bright red berries. Ef			DON IIIIC
10 in	.50	4.00	\$30.00
12 in	60	5.00	40.00
- 15 in	75	6.00	50.00
18 in		7.50	65.00
microphylla. Rockspray. 1½'-2'	Very email	1021/05 1/	ery deen
green. Rather more bushy th	an preceding	reaves, v	ery deep
		5.00	37.00
12 in		6.00	45.00
15 in	85	7.50	60.00
			00.00
simonsi. 6'-8' Almost evergreen. Rat	her loose ha	bit.	
15 in	60		
18 in			
CRYPTOMERIA lobbi compacta. Cave (Cryptomeric	ı. 15'-20	Forms
narrow irregular column—co winter color, bronze-green. Pro	mpact and	picturesqu	ie. Kich
winter color, bronze-green. Pro	eters moist w	ell-drained	location.
18 in	1.50		
2 ft	2.00		
2½ ft	2.75		
DAPHNE cneorum. Rose Daphne. 1' Gra	y-green folia	age-low s	preading.
Pretty pink flowers in April-N	May. Delig	htful fragr	ance.
10 in	85	7.50 8.50	
12 in	1.00	8.50	
EUONYMOUS japonicus. Japanese Euo	nymus. 5'-	-6' Lustr	ous deep
green leaves. Upright bushy l	nabit. Need	ls winter p	rotection.
8 to 10 in**	35	3.00	
EUONYMOUS japonicus. green leaves. 8 to 10 in** 10 to 12 in**	50	3.50	
12 to 15 in	/3	6.00	
patens (sieboldianus.) Spreading Euor	ıymus. 6'-	8' Vigorou	is grower,
forming broad, rather loose sh	rub, leaves	persisting	until late
winter. Ornamental fruits. I	Effective am	ong denser	conifers.
12 in.**	35	3.00	
winter. Ornamental fruits. I 12 in.**	50		
radicans. Wintercreeper. Climbing to for covering low walls, also u	15 ft. Self-c	linging vin	e. Good
for covering low walls, also u	seful for un	der plantin	ıg.
8 to 12 in.** 2 yr., bushy 12 to 15 in.** " "	20	1.50	12.00
12 to 15 in.** " "	25	2.00	16.00
radicans acutus. Sharpleaf Wintercr	eeper. A	graceful fo	orm with
long, narrow leaves, white ve	ins, purplish	underneat	th.
15 in., 2 yr.**	25	2.20	
long, narrow leaves, white ve 15 in., 2 yr.** 18 in., 3 yr.**	35	3.00	
radicans carrierei. Glossy Wintercreep 12 to 15 in.** 2 yr	er. Large, s	hiny, poin	ted leaves
12 to 15 in.** 2 yr	30	2.50	22.00
15 to 18 in.** 3 yr	35	3.00	25.00
radicans minimus, Baby Wintercreep	er. 2'-3'	Has tiny	evergreen
leaves aud a dainty trailing ha	bit. Charm	ing rock s	ubject.
6 to 8 in	30	J	,
8 to 10 in			
radicans variegatus. Variegated Wing	ercreeper.	Leaves ve	ined and
marked yellowish white and r	ink Clingi	ing vine.	
8 to 12 in.** 2 yr., bushy	18	1.50	12.00
marked yellowish white and p 8 to 12 in.** 2 yr., bushy 12 to 15 in.** 3 yr., "	20	1.80	15.00

38	F. & F. NURSERIES TRADE	LIST
		Each Per 1C Per 100
EUONYMOU	JS radicans vegetus. Bigleaf Wini interesting growth. Leaves round, fruits freely produced. Handsome	tercreeper. 3'-4' Bushy dull green. Bright scarlet
	o to 12 :- ** 2	\$.30 \$2.50 \$20.00
	8 to 12 in. ** 2 yr	.35 3.00 25.00 .40 3.50 30.00
radicans	vegetus. (Grown from seedlings).	Does not fruit so freely.
4	2 yr. ** ** ** **	.25 1.80 12.00
ILEX crenata		
	15 in	1.25
	18 in	1.50 2.25
crenata	microphylla. Small Leaf Japanes leaves and more hardy than precedi	ing. More compact habit.
	15 in	1.00 8.50
	18 in	1.50 14.00, 2.25 21.50
	2½ ft	3.50
	3 ft	5.00
glabra.	3½ ft	6.50
giania.	Black berries. Useful for shady sp	oots, also succeeds in sun
	12 in	.75 6.50 60.00
	15 in	1.00 9.00
opaca.	American Holly. 25'-30' Does bes	st in moist partially shaded
	2 ft	2.50
	2½ ft	3.00
	3 ft	4.00
HIMPEDIIO	3½ ft	5.00
-	canadensis. (See Communis.)	
chinensi	s. Chinese Juniper. 15'-20' Form green foliage of two types.	
	18 in	1.50
	2 ft	2.00 2.50
chinensi	s albo variegata. White Leaf Chine glaucous foliage with creamy brane	se Juniper. 6'-8' Light
	but useful in low plantings. 12 in	1.10
	15 in	1.10
	18 in	1.75
		- 2.25
chinensi	s columnaris. Columnar Chinese .	Juniper. Grows rapidly,
	s columnaris. Columnar Chinese , forming tall, narrow column of g like effect. Very useful in evergre	en planting.
	18 in	2.00
	2 ft	2.50 3.00
	2½ ft	3.50
chinensi	s neaboriensis. Conical Chinese Jun	
	18 in	1.25
	2 ft	1.75
	2½ ft	2.25
	3 ft	3.00

·	Each Per 10 Per	100
JUNIPERUS chinensis oblonga. 7'-8' Forms		
feathery branches. Grayish foli	iage shaded purple in wir	nter.
15 in		
18 in	The second secon	
2 ft	2.25	
2½ ft	2.75	
3 ft	3.75	
chinensis pfitzeriana. Pfitzer Juniper. Gray-green foliage giving fea	5'-6' Broad bushy hathery appearance. A r	abit. nost
adaptable hardy evergreen, high		
1½ ft 2 ft	2.50	
2½ ft		
3 ´² ft		
chinensis sargenti. Sargent Juniper. 13	1/2' Prostrate habit. Gr	ass-
green foliage. A valuable groun	nd cover and rock plant.	
10 to 12 in	1.50	
12 to 15 in	2.00	
15 to 18 in		
communis. Common Juniper. 2'-21/2'	Forms a vase-shaped by	ush.
12 to 15 in	.75 \$6.50 1.00 9.00	
18 to 24 in	1.35	
2 ft	1.85	
communis aurea. Golden Common Junij		ling
habit. Golden foliage, particula		311116
12 in		
15 in	1.50	
communis canadensis. Canada Juniper. shaped bush. Leaves dark gree	$2\frac{1}{2}$ '-3' Forms low v	ase-
shaped bush. Leaves dark green	n above, bluish beneath.	
12 in	.85	
15 in	1.15	
18 in	1.50 2.00	
communis cracovica. Polish Juniper.		in a
from ground, making very narro		mig
12 in	1.00	
15 in	1.25	
18 in	1.50	
communis hibernica. Irish Juniper. 7'-	8' A very narrow pyrar	nid.
Useful for its spire-like effect.		
12 in		0.00
15 in		.00
18 in 2 ft	1.00 9.00 85 1.35 12.50	.00
2½ ft	1.75	
communis depressa (prostrata.) Prostrate		11/2
Branches spread almost along gro		
and rock plant.		
12 in		0.00
15 in		.00
18 in	1.25 10.00	
2 ft	1.75 2.75	
2½ ft		
Juniper but more hardy. Sold.	-/ Similar in mabit to 1	11511
communis suecica nana. Dwarf Swedish.	Imiter 3'=31/' A nor	rost.
compact column of slow growth		O W
12 in	.90 8.00	
15 in	1.25 11.00	
18 in	1.50 13.50	
2 ft	2.00 18.00	

40	F. & F. NURSERIES TRADE	LIST		
			Per 10	
JUNIPERUS	S conferta (litoralis). Shore Juniper. useful on sandy places or seaside pl	$1'-1\frac{1}{2}$ anting.	2' Prostr Large le	ate habit, eaves.
		\$1.15 1.35		
excelsa	stricta. Spiny Greek Juniper. 4'- pyramid. Foliage gray-green, Most	5' Cor	mpact, we	ell-shaped
	10 in	1.00	\$9.00	\$80.00
	12 in	1.25	12.00	110.00
	15 in	1.50	14.00	130.00
	18 in	2.60 3.00	25.00	
horizon	talis (sabina prostrata). Creeping S trail along ground. Good for rockw	avin.	1'-1½'	Branches
	15 in	1.00	a ground	covering.
	18 in	1.35		
	2 ft	2.00		
horizon	talis douglasi. Waukegan Juniper. trailing along ground. Steely-blue fo cover, also effective among rock. Di	oliage.	A splend	id ground
	12 in	1.00	9.00	
	15 in	1.50		
	18 in	2.00		
japonica	a. Japanese Juniper. 3'-4' Low gr dark green scaly leaves. Adapted t 8 to 10 in	o rock j .85	spreading planting.	branches,
innonia	a aurea variegata. Golden Varie		Lunipar	9' 91/'
japonica	Useful for low plantings.	guicu .	uniper.	2 2/2
	12 in	1.25		
	15 in	1.50 1.85		
sabina.	Savin. 6'-7' Dense dark green fol	iage. S	Spreading	branches
	forming irregular vase-shaped bush.	1.00	9.00	80.00
	15 in	1.35	12.50	115.00
	18 in	2.00	19.00	110100
	2 ft	2.50		
sabina	tamariscifolia. Tamarix Juniper. making compact but soft texture i	1′−1½ n low		spreading, planting.
	10 to 12 in	1.00	9.00	
	12 to 15 in	1.25 1.50	11.00	
	15 to 18 in	2.50	13.30	
virginal	lis globosa. Globe Japanese Junip branchlets, scaly fresh green leaves planting.	er. 1½ s. Use	$\frac{1}{2}$ '-2' The full for for	hin round oundation
	8 in	.85	7.50	
	10 in	1.00	,,,,,	
	12 in	1.25		
	15 in	1.50 2.00		
virginia	na. Redcedar. 25'-30' Forms a dense co	olumn, c		
	18 in	.75		
	2 ft	1.35		
	3 ft 4 ft	2.75 3.50		
	5 ft	5.00		

SPRINGFIELD, NEW JERSET 41
Each Per 10 Per 100 JUNIPERUS virginiana cannarti. Cannart Cedar. 12'-15' Deep bluegreen foliage—dense growing columnar form.
2 ft\$1.75
2½ ft
3 ft
4 ft
virginiana elegantissima. Goldtip Redcedar. 10'-12' Bright yellow tips to branches, turning bronze in winter. Attractive variety. 2 ft
2½ ft
virginiana glauca. Silver Redcedar. 15'-20' Bluish-gray foliage.
18 in 1.25
2 ft
2½ ft 2.50
3 ft 3.25
3½ ft
4 ft 5.00
virginiana pendula. Weeping Redcedar. 8'-10' Branches lengthen and droop over giving a picturesque effect.
2½ ft 2.00
3 ft
3½ ft
virginiana schotti. Schott Redcedar. 12'-15' Has fresh green foliage. Compact formal columnar habit.
2 ft 1.75
2½ ft 2.35
3 ft 3.25 3½ ft 3.75 4 ft 4.50
3½ ft
4 ft 4.50
virginiana tripartita. Fountain Redcedar. 4'-5' A bushy half upright grower with feathery branches.
2 ft 2.00
2½ ft
3 ft 3.50
waukegan. (See Horizontalis Douglasi)
KALMIA angustifolia. Lambkill. 3' Has narrow leaves—deep pink flowers, June. Good for dry sunny places. 18 in
latifolia. Mountain Laurel. 5'-7' Nursery Grown. Most effective in June when the clusters of pink flowers open. Good foliage, likes shade.
12 to 18 in 1.25 10.00 \$85.00
18 to 24 in 1.50 12.50 110.00
2 to $2\frac{1}{2}$ ft 1.75 15.00
$2\frac{1}{2}$ to 3 ft 2.25 20.00
Collected stock—price on application.
LEUCOTHOE catesbaei. Drooping Leucothoe. 3'-4' Attractive white flowers, May. Handsome lustrous leaves, rich autumn color.
Splendid for under planting in shade.
12 in
15 in
18 in
LEIOPHYLLUM buxifolium. Sand Myrtle. 18" Small pale pink flower
in June. Leaves are small. Good ground cover or rock plant.
12 in 1.00
15 in 1.25
18 in 1.75

42	1. 6 1. NORDERIED TRADE EDI
	Each Per 10 Per 100
MAHONIA	aguifolium. Oregon Holly Grape. 4'-5' Shining green
1111101111	aquifolium. Oregon Holly Grape. 4'-5' Shining green leaves turn rich scarlet in autumn—striking in May when yellow flowers appear. Best in half shade.
	yellow flowers appear. Best in half shade.
	12 in \$1.00
PICEA alba	
	shapely specimen of close texture.
	12 in
	15 in
	18 in
alba albe	rtiana. Dwarf Alberta Spruce. $2\frac{1}{2}$ '-3' Extremely compact,
	slow-growing variety, valuable where small scale is desired.
	12 in
	15 in
	1½ ft
	2 ft 6.00 2½ ft 7.00
excelsa.	Norway Spruce. 80'-100' A good windbreak.
CACCIOA.	18 in
	2 ft 1.25
	2½ ft 1.75 \$16.00
	3 ft 2.50 24.00 3½ ft 2.75
	3½ ft
ou colen e	onica. Arrowhead Norway Spruce. 6'-7' Grows slowly.
exceisa c	Compact and symmetrical—good for foundation planting.
	12 in
	15 in
	13 111 1.30
	18 in 2.00
	18 in
	18 in
excelsa p	18 in 2.00 umila. Dwarf Norway Spruce. 4'-5' Very compact and slow growing. Deep green. Most interesting and useful. 18 in 2.50 . Oriental Spruce. 50'-60' Splendid symmetrical specimen. Deep green glossy needles. Graceful habit—slow grower. 18 in 1.75
excelsa p	18 in
excelsa p	18 in
excelsa p	18 in
excelsa p orientalis	18 in
excelsa p orientalis	18 in
excelsa p orientalis	18 in
excelsa p orientalis pungens.	18 in
excelsa p orientalis pungens.	18 in
excelsa p orientalis pungens.	18 in
excelsa p orientalis pungens. PIERIS japo	18 in
excelsa p orientalis pungens. PIERIS japo	18 in
excelsa p orientalis pungens. PIERIS japo	18 in
excelsa p orientalis pungens. PIERIS japo	18 in
excelsa p orientalis pungens. PIERIS japo	18 in
excelsa p orientalis pungens. PIERIS japo	18 in
excelsa p orientalis pungens. PIERIS japo	18 in
excelsa p orientalis pungens. PIERIS japo	18 in
excelsa p orientalis pungens. PIERIS japo	18 in
excelsa p orientalis pungens. PIERIS japo	18 in
excelsa p orientalis pungens. PIERIS japo	18 in
excelsa p orientalis pungens. PIERIS japo	18 in

	Di Miroribbb, Irbir jbri	19
		Each Per 10 Per 100
PINUS cemb	ra. Swiss Stone Pine. 20'-25'	Thin bluish-green needles
	and close growth give soft tex	ture. Symmetrical blunt
	pyramid when young. Grows slo	owly.
	12 in	\$1.50
	15 in	2.00 2.50
	18 in	3.50
densiflora	a. Japanese Red Pine. 40'-50'	
aciisiiioi	—succeeds well at seashore.	Zong zingin green needies
	1½ to 2 ft	1.25 \$11.00
	2 to 2½ ft	1.25 \$11.00 1.50 13.50
	2½ to 3 ft	1.85 17.50 2.75 26.00
Jama: Aam		
densmora	a umbraculifera. Japanese Umbre variety in which the branches for	rm a flat-topped table-like
	bush. Rather curious but a usefu	I dwarf pine.
	12 in	2.00
	15 in	3.00
	18 in	4.00
flexilis.	Limber Pine. 30'-40' Buish or	dark green leaves. Good
	for rocky places. Grows slowly.	1.50
	18 in	1.50 2.00
	2½ ft	2.5C
	3 ft	3.25
montana	mughus. Mugho Pine. 21/2'-3'	Forms a round-topped
	bush. Useful for rock planting ar	nd foundation work.
	12 in	1.35 1.75
	18 in	2.50
	2 ft	3.50
resinosa.	Red Pine. 50'-60' Rich green st	iff leaves. Reddish brown
	bark. Vigorous, symmetrical grov	ver.
	2 ft 2½ ft	1.50 2.00
	3 ft	3.00
rigida. l	Pitch Pine. 40'-50' Irregular, pict	
	dry, poor soil and seashore plantin	g—quick grower.
	2½ ft	1.50
	3 ft	2.00
	4 ft	2.75 3.50
strobus.	White Pine. 80'-100' Probabl	
strobus.	useful pine. Very picturesque who	y our most adaptable and en old.
	2 ft	1.25
	2½ ft	1.75
	3 ft	2.50
	4 ft	4.00
sylvestris	. Scotch Pine. 60'-70' Rather needles. Does well on poor soils.	short blue-green twisted
		-
	2 ft	1.25 1.75
	3 ft	2.50
RETINISPOR	RA ericoides. Heath Retinispora.	3'-4' Has heather-like
	leaves, giving wooly effect. Form	
	12 in	.65 5.00
	15 in	.90 8.50 1.25 11.50
	2 ft	2.00
	2½ ft	2.75

	Each Per 10 Per 100
RETINISPORA leptoclada. Andely Cypress.	5'-6' Broadly columnar
habit branching from ground. Blu	
12 to 15 in	\$1.00 \$9.00 1.50 13.50
2 ft	2.00
obtusa. Hinoki Cypress. 15'-20' Dark	green lustrous foliage-
grows slowly. Forms beautiful spec	
15 to 18 in	1.25 2.25
2½ ft	2.75
2½ ft	3.50
obtusa compacta. Football Cypress. 21/2'-	-4' Almost spherical in
shape—good green during winter.	Useful as foundation.
12 in 15 in	1.75 16.00
18 in	2.50 22.50
obtusa crippsi. Cripps Golden Cypress. 1	0'-12' Particularly good
golden leaved form. Slow growin	
12 in	1.25 11.50 1.50 13.50
18 in	1.85 17.50
	2'-15' Narrow irregular
pyramid, rich dark green foliage.	Slow grower.
15 in	1.50 13.50
18 in 2 ft	2.00 18.50 2.50
obtusa gracilis compacta. Compact Hinok	
slow and compact grower. Rough	nly pyramid in outline.
15 in	1.75
18 in	2.50 3.25
obtusa nana. Dwarf Hinoki Cypress. 2'-2	
ular little mass, interesting and usef	ul for rock gardens.
8 in	1.25
10 in	1.50
obtusa nana aurea. Dwarf Golden Hinok golden leaved form of preceding.	i Cypress. $2'-2\frac{1}{2}'$ A
10 in	1.75
obtusa youngi. Young Golden Hinoki Cyp	2.50
loose habit. Good constant light of bush.	yellow foliage on outside
15 in	1.25
18 in 2 ft	1.75 16.00 2.25 21.00
2½ ft	3.00 27.50
pisifera. Sawara Cypress. 25'-35' Quick gi	
15 in	1.25 11.00
1½ ft	1.50 12.50
2 ft	2.00 18.50 2.75
3 ft	3.50
pisifera aurea. Golden Sawara Cypress.	25'-35' Foliage bright
yellow especially in spring. Branc	hes droop when older.
15 in	1.25 11.50
18 in	1.75 15.00 2.50
2½ ft	3.00
3 ft	3.75

	Each Per 10 Per 100
RETINISPORA plumosa. Plume Cypress	s. 25'-35' Forms a dense
cone of fine texture. Useful fo	
12 in	
15 in	
2 ft	
2½ ft	
3 ft	3.50
plumosa aurea. Golden Plume Cypress.	
15 in	
18 in., bushy	
2 ft., "	2.50
2 ft., "	. 3.00
plumosa lutescens. Dwarf Yellow Plum	
low broad round-topped bush; l	oright yellow tipped branchlets.
10 in	
12 in	
15 in	1.75
18 in	2.50
filifera. Thread Cypress. 15'-20'	Has long, stringy, drooping
branches and bright green folia	
12 in	
15 in	
18 in 2 ft	
2 ft	3.25
3 ft	5.00
filifera aurea. Golden Thread Cypress	
spicuous golden yellow. Grow	s more slowly than preceding.
8 to 10 in	
10 to 12 in	
12 in	
15 in	2.00 18.50
filifera aurea nova. VariegatedThread	Cypress. 10'-12' Branches
are varigated green and yellow	
8 in	
10 in	
12 in	
squarrosa veitchi. Veitch Moss Cypre	ess. 25'-30' Foliage blue-
gray, feathery and dense, giv	ving soft wooly appearance.
Broad pyramidal outline when	
12 in	
15 in	. 1.25 11.50 110.00 . 1.65 15.00
1½ ft., bushy 2 ft., "	2.25 21.00
2½ ft	3.00
3 ft	4.00
squarrosa sulphurea. Sulphur Moss C	
growth to Veitch's but has ligh	
12 in	
15 in	
18 in	1.65 15.00
2 ft	
2½ ft	3.00
thyoides. Whitecedar. Irregular slender	r outline, bluish-gray fragrant
foliage purplish in winter. Va	
2½ ft	
3 ft	3.50
	3.50 4.25

46	F. G F. NURS	ERIES TRADI	FISI		
RHODODE	NDRON. Hybrid R Few varieties in li		3'-8'	Per 10	Per 100
	1½ ft 2 ft		\$2.50 3.50		_
	All our Rhododen OWN plants. Pric n on application.	drons are com ces on collecte			
carolinia	18 to 24 in	oact, bushy. Be	st in m 1.75 2.25	osy-purple noist, shad \$15.00 20.00	flowers, ly places.
	2 to 2½ ft		2.75 3.50	25.00 32.50	
catawbie			leaves,	Large ro prefers ha 15.00 20.00	sy-purple alf-shade.
maximu		odendron. 8'- oduced in May			ght pink andsome
	1½ to 2 ft		1.50 1.75 2.50 3.25 4.50 5.50	12.50 15.00 22.50 30.00 42.50 52.50	\$100.00
minus (p	ounctatum). Piedmo 18 in	nt Rhododendr			ose, May.
TAXUS bac	cata adpressa erecta. pact, upright. Stif	Shortleaf En	glish Y		
	10 to 12 in		1.00 1.25 1.75	waea oir.	branches.
baccata	compacta. 3'-4' N 12 in	-	m, short 1.25	deep-gree	en leaves.
	15 in		1.50 2.00		
baccata	repandens. Spread horizontal branch low planting.				Spreading uable for
	10 in		1.00 1.25 1.75 2.50	9.50 11.50 16.50	
canad	ensis. Canada Yew winter. Prefers sh	$2'-2\frac{1}{2}'$ Spr	eading	habit, br	onzy in
	10 in		1.00 1.25 1.65	8.50 11.00 15.00	
cuspidat	a. Japanese Yew. leaves. Spreading,	4'-5' (Spreadir bushy. Valuab	ng form. le for fo) Rich da undation	ark green planting.
	12 in		1.25 1.75 2.50 3.50	11.00 16.00 23.50	100.00 150.00 225.00
	2½ ft		5.00		

SPRINGFIELD, NEW J	EKSE I		4/
TAXUS cuspidata brevifolia. Dwarf Japane leaves, blackish green. Slow gr	rowing, irr	Per 10 2'-3' Bi egular spr	road thick
8 in	1.15 1.35 1.85	\$ 8.50 10.00 12.50 17.50 26.00	
THUJA Lobbi atrovirens. Rich shining deep- 18 in	1.50	ny leaves.	
occidentalis. American Arborvitae. 15 broad base. Bronzy winter col for a hedge. Amenable to clipp	5'-30' Slendring. Go	ood accent	t plant or
1½ ft	1.25 1.75 2.35 3.00	10.00 11.50 16.50 22.50	\$85.00 100.00
occidentalis columbia. Columbia Arb			Branches
tipped with silvery white. Form 12 in	1.25 1.50 1.75 2.25	v pyramio	i.
occidentalis compacta. Parsons Dwarf A globe shaped. Bright green. U	Arborvitae Useful in	formal or	Almost founda-
12 in	1.25 1.85	9.00 11.50 17.50	85.00 110.00
occidentalis douglasi aurea. Douglas G A broad pyramid with golden g	olden Arb green foliag	orvitae. ge.	10'-15'
18 in	2.25 2.75 3.50	17.50 21.00 25.00 32.50 45.00	
occidentalis elegantissima. Golden Tip Branches tipped with yellow. I	pped Arb	orvitae.	10'-15'
18 in	1.50 2.00 2.75	13.50 17.50 25.00	
occidentalis ellwangeriana. Tom Thuml heather-like leaves—dense habit- low, broad, blunt pyramid. Ri	b Arborvii	se texture.	Forms
12 in	.85 1.00 1.25 1.75	7.50 9.00 11.00 15.00	
occidentalis recurva nana. Little Gem A 10 in	rborvitae.	2'	

I	Each	Per 10	Per 100
THUJA occidentalis globosa. Globe Arborvitae.	21/9'	-3' Usefi	al in for-
mal work. Naturally globe shaped			
		67.50	
	.85	\$7.50	
12 in	1.00	9.00	
15 in	1.35	12.50	
18 in	1.75	16.00	
occidentalis hoveyi. Hovey Arborvitae.			n shape,
nearly as broad as high. Bright gr		iage.	
12 in	.90	8.00	\$75.00
15 in	1.25	11.00	100.00
- 18 in	1.50	13.50	125.00
2 ft	2.50		
occidentalis lutea. Geo. Peabody Arborvitad	e. 10'	-15' Con	spicuous
golden yellow form. Columnar ou	ıtline.		•
15 in	1.00	9.50	
18 in	1.50	14.00	
2 ft	2.00	1 1100	
	2.75		
2½ ft	3.50		
occidentalis plicata (filicoides). Moss Ari		ne 10'-2	0' Rich
deep blue-green foliage. Short, stif	f forn	lika brana	
pleasing effect in light and shade.			
	1.15 1.25	10.00	90.00
	1.75	16.50	160.00
2½ ft	2.50	24.00	235.00
	3.25	31.00	233.00
	4.00	31.00	
		7.51 0.01	D
occidentalis pyramidalis. Pyramidal Arbon			Retains
bright green coloring throughout wi		Narrow o	columnar
shape, splendid for accents or forma	-	_	
18 in	.90	8.50	
2 ft	1.25	11.50	
2½ ft	1.75	16.50	
3 ft	2.35	22.50	
3½ ft	3.25	30.00	
4 ft	4.25	40.00	
occidentalis rosenthali. Rosenthal Arborvita	e. 6'-	·10′ Dens	e rugged
columnar form. Slow grower.			
12 in	1.15	10.00	85.00
15 in	1.25	11.00	
18 in	1.50	12.50	
2 ft	1.75	16.50	
2½ ft	2.50	23.50	
occidentalis spaethi. Spaeth Arborvitae.	21/2'-4		kinds of
leaves-heathlike and scaly. Intere	sting a	nd distinc	t.
18 in	1.00	9.00	
occidentalis umbraculifera. Umbrella Arbon	rvitae.	2'-3' Pa	rticularly
good—low mushroom shaped form	n with	rich green	foliage.
10 in	1.00	9.00	
12 in	1.25	11.00	
15 in	1.75	16.50	
occidentalis vervaeneana. Vervaene Arborz	nue.	broadly a	ramidal
greenish yellow foliage, bronzy in wi	1.25	11.50	raimuai.
2 ft	1.50	13.50	
2½ ft	2.00	19.00	
3 ft	2.60	25.00	
3½ ft	3.25	30.00	
4 ft	3.75	50.00	

Each Per 10 Per 100

THUJA	occidentalis vervaenean	a aurea. G	olden	Vervaene	Arborvitae.
	8'-12' A more in	ntense yellow	than	preceding.	

11/2	ft	\$1.35
2	ft	1.85
$2\frac{1}{2}$	ft	3.00
3	ft	4.50
31/2	ft	6.00
4	ft	7.50

wareana (siberica.) Siberian Arborvitae. 12' 15' Light green fleshy foliage. Broadly pyramidal, rugged in appearance.

15	in	1.00	\$9.00	
$1\frac{1}{2}$	ft	1.35	12.50	\$115.00
2	ft	1.65	15.00	
$2\frac{1}{2}$	ft	2.50	24.00	
3	ft	3.50		
31/2	ft	4.75		

TSUGA canadensis. Canada Hemlock. 75'-90' Most graceful and adaptable, the spreading horizontal branches making effective shadow effects. Useful as clipped hedge or informal planting.

18	in	1.50
2	ft	2.00
21/2	ft	2.50
3	ft	3.00
4	ft	4.00
5	ft	6.00

caroliniana. Carolina Hemlock. 50'-60' A particularly fine evergreen with horizontal branches and thick green leaves—very hardy.

18	in	2.00
2	ft	3.00

VIBURNUM rhytidophyllum. Leatherleaf Viburnum. 6'-8' Large oblong leaves, deep green above, gray beneath—a bold handsome shrub.

YUCCA filamentosa. Adam's Needle. 2'-3' Long lance-like leaves.

Tall flower spike grows up quickly in June-July. Numerous creamy flowers and general appearance give tropical effect.

Useful for massing with either evergreens or shrubbery.

Hardy Herbaceous Perennials

* indicates plants suitable for rockery or alpine gardens.

· · · · · · · · · · · · · · · · · · ·	Each	Per 10	Per 100
, ,	\$.15	\$1.20	\$ 8.00
ptarmica Boule de niege. Ball of Snow Yarrow. 18" White, June-Sept	.15	1.20	10.00
*tomentosa. Wooly Yarrow. 1' Yellow, June-Sept	.15	1.20	10.00
ACONITUM fischeri. Azure Monkshood. 2½' Dark blue, Sept-Oct	.25	2.20	18.00
*AETHIONEMA coridifolium. Lebanon Stone- cress. 1' Pink, June	.25	2.20	
ALTHAEA. Hollyhock. 5' Assorted, single and double, July-Aug	.15	1.00	8.00
*ALYSSUM. saxitale compactum. Dwarf Golden Tuft. 1' Yellow, April-May	.12	1.00	8.00
ANCHUSA italica. Italian Bugloss. 4' Blue, June-Sept	.20	1.50	10.00
AQUILEGIA caerulea. Colorado Columbine. 18" Blue and white, May-June	.15	1.20	8.00
chrysantha. Golden Columbine. 2' Yellow, May–June	.15	1.20	8.00
*flabellata nana. White Fan Columbine. 1' White, May-June	.15	1.20	10.00
formosa truncata. California Hybrids. 2' Various colors, May–June	.15	1.20	8.00
*ARABIS alpina. Wall Cress. 6" White, April–May	.15	1.20	10.00
*flore pleno. Double Wall Cress. 6" White, April–May	.20	1.50	
*ARENARIA montana. Sand-wort. 4" White, April-May	.15	1.20	
ARMERIA maritima. Sea Thrift. 6" Pink, May-June *ASTER alpinus. Rock Aster. 8"	.15	1.00	8.00
Lilac, May-June Beauty of Colwall. 4' Lavender. Aug	.15	1.00	
Oct	.15	1.20	10.00
sub-coeruleus. 12" Mauve, June-July	.15	1.20	10.00
*AUBRETIA deltoidea. Common Aubretia. 6" Violet, April-May	.20	1.50	12.00
BAPTISIA australis. False Indigo. 2½' Dark blue, May–July	.15	1.20	10.00
tinctoria. Wild Indigo. 2' Yellow, June-July	1.5	1.20	10.00
BOLTONIA. Pink Boltonia. AugSept	.15	1.00	10.00
latisquama. Boltonia. 4' Lavender, AugSept	.15	1.00	8.00
latisquama nana. Dwarf Pinkray Bol- tonia. 2' Light Pink, AugSept	.15	1.00	8.00

*CAMPANULA carpatica. Carpathian Bell-	Each	Per 10	Per 100
flower. 6" Light blue, July-Aug *alba. White Carpathian Bellflower. 6"	\$.15	\$1.20	\$10.00
White, July-Aug	.15	1.20	10.00
glomerata. Danesblood. 18" Dark blue, June–July	.15	1.20	10.00
medium. Canterbury Bells. 2' Blue, Pink, White, June	.15	1.00	8.00
medium calycanthema. Cup and Saucer. 2' Blue, pink, white, June	.15	1.00	8.00
persicifolia Peach-leaved Bellflower. 2' Blue, June–July	.15	1.00	8.00
persicifolia alba. White Peach-leaved Bellflower. 2' White, June-July	.15	1.00	8.00
CENTAUREA montana. Bluet. 2' June-Sept.	.15	1.20	10.00
*CERATOSTIGMA plumbaginoides. (Plumbago Larpentae). Blue Leadwort. 8"	,20	1.50	12.00
Deep blue, AugSept CHELONE glabra. Turtlehead. 2' White,	,20	1.30	12.00
AugSept	.15	1.20	10.00
lyoni. Lyon Turtlehead. 2½' Red, Aug-	.15	1.20	10.00
*CALANDRINIA umbellata. Peruvtan Rock			
Purslane. 6" Purplish crimson, July-Oct	.15	1.20	10.00
CHRYSANTHEMUM	.20	1.50	12.00
Maximum. Shasta Daisy. 2' White, July	y-Sept.		
Maximum Alaska. 2' White, July-Sept.			
Dean Emery. 2½' Large. Yellow, mediu	ım, Oct.		
Donkelaria. 2½ Large. Yellow, early O	ct.		
Globe D'Or. 18" Button. Yellow, early. Harrie. 2' Pompom. Yellow, medium.			
La Garrone. 2' Large. Rose and buff, ea	rlv.		
L'Argentuillais. 2' Large. Bronzy red, m			
Lillian Doty. 3' Pompom. Flesh pink, m	edium.		
Marie Dupont. 3' Large. White, early.			
Mrs. H. Harrison. 3' Pompom. Blush, e			
Pink Doty. 3' Pompom. Clear pink, med			
Queen of Whites. 3' Large. Creamy wh			
Red Doty. 3' Pompom. Wine red, mediu St. Illoria. 2½' Large. Pink, medium.	ım.		
Soeur Melanie. 2½' Large. White, media	um.		
Tennyson. 2' Pompom. Red, late.			
Uvalda. $2\frac{1}{2}$ Pompom. White.			
Yellow Dot. Pompom. Yellow, medium.			
White Doty. 3' Pompom. White, medium	n.		
Zenobia. 18" Button. Yellow, early.			
CONVALLARIA majalis. Lily-of-the-Valley. 8" White, May-June	.30	2.50	
COREOPSIS floribunda. Coreopsis. 2' Yellow, June-Sept	.18	1.50	12.00
lanceolata. Lance Coreopsis. 2' Yellow, June Oct	.15	1.00	8.00

	Each	Per 10	Per 100
DELPHINIUM belladonna. Larkspur. 2½' Light blue, June-Oct	\$.15	\$1.20	\$10.00
chinensis. Slender Larkspur. 2' Deep blue, June-Oct	.15	1.20	10.00
chinensis alba. White Slender Larkspur. 2' White, June-Oct	.15	1.20	10.00
elatum. Bee Larkspur. 2' Blue, June- Oct	.15	1.20	10.00
formosum. Hardy Larkspur. 2½' Dark blue, June-Oct	.15	1.20	10.00
hybrids. Larkspur. 2' to 4' Blue, June– Oct	.15	1.20	10.00
DIANTHUS barbatus. Sweet William. 1½' Red, white, pink, May-June	.15	1.00	8.00
Newport pink. Sweet William. 18" Pink, May-June.	.15	1.20	10.00
latifolius atrococcineus. Hybrid Sweet William. 1' Crimson, May-June	.15	1.00	8.00
Miss America. 18" Double Scarlet, May-			
Sept	.15	1.20	10.00
*plumaris. 1' White, May-June	.15	1.00	8.00
Gertrude. 10" Double red, May-June *Her Majesty. 10" Double White,	.15	1.20	10.00
May-June	.15	1.20	10.00
Jean. 18" Double white, red center,	.15	1.20	10.00
*DICENTRA spectabilis. Bleeding Heart. 18" Pot grown. Deep rose, April, May	.40	3.50	30.00
DICTAMNUS alba (fraxinella). Gas Plant. 3' White, June–July	.25	2.00	18.00
DIGITALIS purpurea. Foxglove. 2½' Rosy purple, June–July	.15	1.20	10.00
alba. White Foxglove. 2' White, June-July	.15	1.20	10.00
ECHINACEA purpurea. Purple Coneflower. 3½' Purple, July-Aug	.15	1.20	10.00
ECHINOPS humilis. Globe Thistle. 2' Steel blue, July-Aug	.15	1.20	10.00
ritro. 3' Steel blue, July-Aug	.15	1.20	10.00
*DRABA rupestris. Whitlow Grass. 4" White, April-May	.20	1.50	
EUPATORIUM coelestinum. Blue Mist-			
flower. 2' Blue, Aug.—Oct	.15	1.20	10.00
18" White, July-Aug	.20	1.50	
coerulea. 18" Purplish blue, July-Aug.	.18	1.50	12.00
undulata variegata. Variegated Leaf Funkia. 18" Blue, July-Aug	.15	1.20	10.00
GAILLARDIA grandiflora. Blanket Flower. 18" Yellow and Red, May-Nov	.15	1.00	8.00
GEUM Mrs. Bradshaw. Avens. 18" Double Red, June-July	.15	1.20	10.00
montanum heldriechi. Orange Avens. 18" Orange, May-July	.15	1.20	10.00
*GLOBULARIA trichosantha. Globe Daisy. 6" Blue, May-June	.15	1.20	10.00

		Г 1	D 10	D 100
GYPSOPHYLLA paniculata. Baby's Bred 2' White, June-July	ath.	Each \$.15	Per 10 \$1.20	Per 100 \$10.00
*repens. Creeping Gypsophylla. 4' White, June-July	,	.15	1.20	10.00
HELIANTHEMUM. 18" Fickle Sunre Pink, May-Sept	ose.	.20	1.50	12.00
HELENIUM autumnale superba. Sneezewe		.15	1.20	10.00
Riverton Gem. Bronze Sneezeweed. Bronze, AugSept.		.15	1.20	10.00
HELIANTHUS fl. pl. 4'-5' Yellow, Au Sept	1g	.15	1.00	8.00
HELIOPSIS helianthoides pitcheriana. Pitcheriana. Heliopsis. 3' Yellow, July-Sept.		.12	1.00	8.00
HEUCHERA sanguinea. Alum Root. 1 Pot grown. Crimson, May-Sept.		.20	1.50	12.00
sanguinea alba. White Arrowroot. 1 White, May-Sept		.20	1.50	12.00
HIBISCUS crimson eye. 4' Crimson. Au Sept moscheutos. Mallow Marvels. 4'	ıg	.15	1.20	10.00
AugSept		.15	1.20	10.00
*HOLLYHOCK. (See Althea.) *IBERIS gibraltarica. Gibraltar Candyti	uft.			
1' Lilac. May-June		.15	1.20	10.00
*sempervirens. Evergreen Candytuft. 1 White. April-May		.15	1.00	8.00
sempervirens. Little Gem. 6" Exgreen leaves. White, April		.20	1.80	15.00
*IRIS pumila cyanea. Dwarf Iris. 8" P		.15	1.00	8.00
Dwarf Yellow		.15	1.00	8.00
germanica. Fleur-de-lis. (German Ir 1½'-2½'	is).	.15	1.00	6.00
Aurea—yellow. H.	Cram	erlave	nder blue	2.
Dr. Bernice—bronze. Kin	ng—da	ırk purp	le.	
Florentinawhite. La	ndseer			
	reli—y			
			white pen	
		-	-rosy cl	
			–white, vi a—deep	
		*	*	
kaempferi. Japanese Iris. 2'-2½'		.20	1.50	12.00
		ıghan—	white.	
	ght Blu		1	
		dark pu: Z <mark>ellow (</mark>		
Frate—dbl. white, lilac centre. Re				
sibirica. Siberian Iris. 2' Purple, Ma			•	
June		.15	1.00	8.00
sibirica alba. White Siberian Iris. White, May-June		.15	1.00	8.00
LATHYRUS latifolius. Perennial Pea. Pink, June-Aug		.20	1.80	15.00

54 F. & F. NURSERIES TR	ADE LIST		
*LINUM perenne. Blue Perennial Flax.		Per 10	Per 100
June-July LOBELIA cardinalis. Cardinal Flower. 23	6'	\$1.00	\$ 8.00
Scarlet, July-Aug syphilitica. Large Blue Lobelia. 2'			
Blue, AugSept syphilitica alba. White, AugSept		1.20	10.00
LUPINUS arborea. Yellow Lupine. 3'		1.20	
Yellow, June-July polyphyllus. Washington Lupine. 3'			10.00
Blue, June-July	25 v25	2.00	15.00
polyphillus moerheimi. Rose Lupin Pink, June–July	e.	2.00	15.00
LYCHNIS chalcedonica. Maltese Cross.	2'	2.00	13.00
Scarlet, June-July	15	1.00	8.00
haageana. Haage Campion. 1' Sca let, May-June	15	1.20	10.00
viscaria splendens. Rosepink Campio 1' Crimson, May-June	20	1.50	12.00
LYTHRUM salicaria roseum. Rose Loos strife. 2½' Pink, July–Aug	e- ,20	1.50	12.00
MATRICARIA inedora. Scentless Fal	se .20	1.50	12.00
MATRICARIA inedora. Scentless Fal Chamomile. 18" White, June-Se		1.20	10.00
MISCANTHUS sinensis gracillimus. Maide Grass (Eulalia). 2½'	15	1.00	8.00
sinensis. Variegated Striped Eulalia. 2	$\frac{1}{2}$.15	1.00	8.00
MONARDIA media. Oswego Bee Balm. 23 Rosy red, June-Aug	15	1.20	10.00
*MYOSOTIS scorpioides (palustris). Forge me-not. 10" Blue, May-Sept	et- 15	1.20	10.00
*nixerauge. 8" Pale blue. May-June		1.20	10.00
*NIEREMBERGIA rivularis. Whitecup. 4 White, June-Aug		1.20	10.00
OENOTHERA youngi. Evening Primrose. Yellow, June-Aug		1.20	10.00
speciosa. White Sundrops. 18" Whi	te,	1.00	10.00
AugSept PACHYSANDRA terminalis. Japanese Spur		1.20	10.00
8" Greenish white, May	15	1.20	9.00
PAEONIA sinensis. Peony		4.00	30.00
Agida—red.	Festiva Max	xima—wl	hite.
Albatree—white.	Lady Dartn	nouth—w	hite.
Albert Crousse—rose white.	La Tulipe-	white.	
August d'Hour—dark red.	Louise Van	Houtte-	-deep rose
Canari—yellow.	Mad. L. Ca		*
Corrome d'Or-white.	Mad. Moute	•	
Delachi—red.		•	
Duc de Wellington—white.	Duc de Wellington—white. Magnifica—white.		
Duchesse de Nemours—white Marie Des Holmes—white.			
Edouard Andre—Carmine.	Marie Leme		iite.
Edulis Superba—pink. McMahon—red.			
Eugene Verdier—pink.	Meissonier-		
Faust—pink.	Mme. de V		
Felix Crousse—red.	Modest Gue		
Festiva Alba—white.	Rose d'Am	our—pinl	ζ.

DI MITOTIBEE) 11211)211			
*PAPAVER nudicaule. Iceland Poppy. 10"	Each	Per 10	Per 100
White yellow, May-Aug	\$.15	\$1.20	\$10.00
papaver orientale. Oriental Poppy. 2½' Scarlet, July-Aug	.20	1.80	15.00
PENTSTEMON torreyi. Torrey Pentstemon. 3' Scarlet, June-Aug	.15	1.20	10.00
PHALARIS arundinacea. Reed Canary Grass.	.15	1.00	8.00
PHLOX arendsi. Louise. 1' Lilac, May-July	.15	1.20	10.00
*Divaricata. Blue. 1' Lavender blue, May	.15	1.20	10.00
	.13	1.20	10.00
Decusatta. Garden Phlox. 1½'-2' July–Sept.	20	1.00	15.00
Baron Von Heeckeren. Salmon-pink	.20	1.80	15.00
Coquelicot. Brilliant Scarlet	.20	1.80	15.00
Deutschland. Bright orange-red	.20	1.80	15.00
Eclaireur. Violet-red, pink eye	.15	1.20	10.00
Elizabeth Campbell. Delicate Salmon-	.20	1.80	15.00
pink White dwarf	.15	1.20	10.00
G. A. Strohlein. Orange-scarlet, darker	.13	1.20	10.00
eye	.20	1.80	15.00
General Von Heutz. Salmon-red,			
white centre	.15	1.20	10.00
Gruppenkonigin. Pale rose, darker cen.	.15	1.20	10.00
Hindenberg. Intense Crimson	.20	1.80	15.00
Jules Sandeau. Pure pink, dwarf	.20	1.50	12.00
La Vague. Mauve pink, red eye	.15	1.20	10.00
Mrs. Jenkins. (Independence), white	.15	1.20	10.00
Queen. White, early	.15	1.20	10.00
R. P. Struthers. Red, crimson eye	.15	1.20	10.00
Rhynstroom. Deep pink	.15	1.20	10.00
Sunshine. Pink, darker eye	.15	1.20	10.00
Thor. Salmon-pink, crimson eye, large	.15	1.20	10.00
Wanadis. Lilac, purple eye	.20	1.50	12.00
Widar. Reddish violet, white centre	.15	1.20	10.00
*ovata (carolina). 12" Rosy red, June-July	.15	1.20	10.00
*subulata. Moss Pink. 4" Pink April-May	.15	1.00	8.00
*subulata alba. White Moss Pink. 4"			
White, April–May** *subulata G. F. Wilson. Lavender Moss	.15	1.00	8.00
Pink. 4" Lavender blue, April-May	.25	2.00	15.00
suffruticosa. Miss Lingard. Tall, vigorous. White, pink eye	.15	1.20	10.00
PLATYCODON grandiflorum. 18" Light blue, June-July	.15	1.20	10.00
grandiflorum album. 18" White, June- July	.15	1.20	10.00
Mariesi. Maries Balloon Flower. 12" Blue, June-July	.15	1.20	10.00
PLUMBAGO. (See Ceratostigma.)			. 3.00
POLEMONIUM coerulea. Greek Valerian. 2' Blue, June-July	.15	1.20	10.00
*Richardsoni. Jacob's Ladder. 12" Sky blue, June–July	.15	1.20	10.00

110111101011111111111111111111111111111			
*PRIMULA acaulis (vulgaris). English Prim-	Each	Per 10	Per 100
rose. 8" Lemon yellow, April–May *elatior. Oxlip Primrose. 8" Various,	\$.15	\$1.20	\$10.00
April-May	.15	1.20	10.00
*veris. Cowslip Primrose. 6" Yellow, April–May	.15	1.20	10.00
PYRETHRUM hybridum. Painted Lady. 2' Double mixed. July-Aug	.15	1.00	8.00
RUDBECKIA laciniata. Golden Glow. 6' Yellow, AugSept	.15	1.00	8.00
speciosa (newmanni). Showy Cone-flower. 2' Pot grown. Yellow, July-Oct	.15	1.00	8.00
SALVIA azuria. Azure Salvia. 3' Sky blue, AugSept.	.15	1.20	10.00
pratensis. Meadow Sage. 2' Deep blue, June–July	.15	1.20	10.00
*SEDUM acre. Gold Moss. 3" Yellow, May-June	.15	1.20	10.00
*album. White Stonecrop. 3" White,	.15	1.20	10.00
May-Junedivergens. 6"	.20	1.50	12.00
*kamschaticum. Orange Stonecrop. 8"	.20	1.50	12.00
Yellow, July-Aug	.15	1.20	10.00
*sarmentosum. Stringy Stonecrop. 2" Yellow, June-July	.15	1.20	9.00
spectabile. Showy Stonecrop. 18" Pink, AugSept.	.15	.1.20	10.00
*stoloniferum. Running Stonecrop. 6" Pink, July-Aug	.15	1.20	10.00
*hispanicum. Spanish Stonecrop. 4" Pale pink, July	.15	1.20	10.00
monregalense (cruciatum). Monreale Stonecrop	.20	1.50	12.00
STACHYS lanata. Wooly Betony. 18" Purple, June-July	.15	1.20	10.00
STOKESIA laevis. Blue Stokes Aster. 18" Blue, July-Oct.	.15	1.20	10.00
laevis alba. White Stokes Aster. 18" White, July-Oct	.15	120	10.00
*THYMUS serphyllum splendens. Firefly Thyme. 2" Red, June–July	.15	1.20	10.00
TRITOMA pfitzeriana. Bonfire Torch-Lily. 2½ Red and orange, Aug.—Sept	.15	1.20	10.00
*TUNICA saxifraga. Tunic Flower. 6" White, July-Aug	.15	1.20	9.00
VERONICA longifolia subsessilis. Clump Speedwell. 2' Violet-blue. AugSept.	.20	1.50	12.00
*repens. Creeping Speedwell. 2" Blue,			
May	.15	1.20	10.00
*rupestris. Pink. 4" Pink, May-June	.20	1.50	12.00
spicata. Spike Speedwell. 18" Blue, June–July	.15	1.20	10.00

*VINCA D	Each	Per 10	Per 100
*VINCA minor. Periwinkle. 4" Lilac blue, April-May		\$1.20	\$10.00
*VIOLA cornuta. Tufted Pansy. 8" Blueviolet, June-Aug	.15	1.20	9.00

Fruit Department

Fruit Department					
APPLES AND	CRAB APPLES		Each	Per 10	Per 100
	n. and up		\$1.00		
7/8	in. to 1 in -16th to ½ in	X	.60 .40	\$5.00	\$45.00 25.00
Me	ed. grade, $\frac{5}{8}$ in. to 1	1-16th inM	.30	2.00	18.00
SUMMER	AUTUMN		WINTE	R	
Early Harvest	Duchess	Baldwin		rthern S	
Early Strawberry	Fall Pippin	Ben Davis Delicious		me Beau xbury R	
Gravenstein	Grimes Golden King	Fameuse (S	Snow) Sp	itzenbur	g
Red Astrachan	Sweet Bough	Golden Rus Jonathan		ayman's ark	Winesap
Williams E. Red	Talman Sweet Wealthy	McIntosh		rk Imper	ial
Yel. Transparen		N. W. Gree R. I. Green		inesap inter Bai	nana
CRAB APPLES	-Hyslop, Red Si	berian, Trans	cendent.		
APPLES—Dwar					
5/8 1/2	in. to $\frac{3}{4}$ inin. to $\frac{5}{8}$ in	A	.55	5.00	
	ous, Fall Pippin, R				Wealthy.
PEARS-Standa	ard				
	n and up		1.00	6.00	
	in. to 1 in		.75 .50	6.00 4.50	
	d. grade, $\frac{5}{8}$ in. to 1		.40	3.50	
Bartlett	Duche	ess	Sec	kel	
Beurre Boso		sh Beauty		ldon	
Beurre d'Ar	•		Ver	mont Be	auty
• •	vorite Lawre	nce			
PEARS—Dwarf	st grade, 5% in. and	A	.60	5.00	
Me	d. grade, $\frac{1}{2}$ in. to $\frac{1}{2}$	½ inB	.45	4.00	
Bartlett, Cla Beauty.	app's Favorite, Du	chess, Louise	Bonne,	Seckel,	Vermont
CHERRIES—So	ur				
	n and up		1.00	m = c	
/8 11-	in. to 1 in	X	.80 .55	7.50 5.00	
	in. to 11-16th in		.45	4.00	

Early Richmond, Montmorency, English Morello.

CHERRIES—Sweet	Each	Per 10	Per 100
$1\frac{1}{8}$ in. and up. XXX 1 in. to $1\frac{1}{8}$ in XX $\frac{7}{8}$ in. to 1 in. X	\$1.25 1.15		
$\frac{7}{8}$ in. to 1 in	.85 .75	\$8.00 7.00	
$\frac{11-1011}{5}$ in. to $\frac{11-1}{6}$ th in	.60	5.50	•
Black Tartarian, Downer's Late Red, Schmidt's Biggareau, Yellow Spanish.	Gov. W	ood, 1	Napoleon,
PLUMS— 1 in. and up XX 7/8 in. to 1 in X	1.00	6.50	
11-16th in. to 7/8 in	.75 .50	6.50 4.00	
Abundance, Bradshaw, Burbank, Imperi Yellow Egg, German Prune.	ial, Shr	opshire	Damson,
PEACHES-3/4 in. and up, 5 to 7 ftXX	.50	4.00	\$35.00
% in. to % in., 4 to 6 ft	.40	3.00 2.50	25.00 20.00
7-16th in. to 9-16th in., 3 to 5 ft	.20	1.80	15.00
5-16th in. to /-16th in., 3 to 4 ft. B	.15	12.00	10.00
F. indicates Freestone.			
EARLY MID-SEASON		LATE	
Carman F., White Belle of Georgia F., Wh	n. Kru	mmel O F., Yello	
Champion F., White Late Crawford F., Yel. Early Crawford F., Yel.	For	Seedlin	
Fitzgerald F., Yellow	FOX	F., Whi	
Hiley F., White Hale F., Yellow		,	
Mountain Rose F., Wh. Iron Mountain F. Whit	te		
Ray F., White Miss Lolo F., White	0.5	7.50	
QUINCES—¾ in., 4 to 5 ft	.85 .60	7.50 5.0 ₀	
5/8 in., 3 to 4 ft	.50	3.50	
Champion, Orange.			
NUTS—Butternut—4 to 6 ft	.65		
6 to 8 ft	.75		
Hickory—Shellbark			
3 to 4 ft	1.00 1.25		
Walnut—Black	1.23		
18 in	.50		
2 to 3 ft	.75 1.00		
4 to 5 ft	1.25		
Japan4 to 6 ft	1.00		
GRAPES—	1.50		
Brighton, black			
Campbell's Early, black 2 yr.	.25	2.00	18.00
Delaware, red	.20	2.00	10.00
Agawam, red			
Clinton, black			
Moore's Early, black	.20	1.80	15.00
Moore's Diamond, white	.20	1.00	13.00
Niagara, white			
Worden, black			
Catawba, red 2 yr.	.18	1.50	12.00
Champion, black	.15	1.20	10.00
Concord, black	,13	1+20	10.00

	Each	Per 10	Per 100
CURRANTS—			
Cherry / 2 yr.	\$ 20	\$1.50	\$10.00
Fay's Profine	ψ .20	ψ1.50	φ10.00
Lee's Black			
White Grape			
Perfection	.25	2.00	15.00
GOOSEBERRIES2 yr	.25	2.00	18.00
Downing, Houghton, Joselyn, Red Jacket.			
RASPBERRY - Cuthbert, Kansas, Colum-			
bian, St. Regis (everbearing)			
Suckers			4.00
Transplants			6.00
BLACKBERRIES-Blower's, Erie, Rathbun			5.00
STRAWBERRIES			5.00
ASPARAGUS—2 yr			2.00
RHUBARB	.15	1.00	6.00

TABLE OF CONTENTS

Conditions of Sale	Inside	froi	nt co	ver
Deciduous Shade Trees	. Page	s 1	to	11
Flowering Shrubs	"	12	to	31
Roses				
Vines and Climbers	. "	33	and	34
Evergreens and Conifers	- 44	35	to	49
Herbaceous Perennials	4	50	to	57
Fruit Trees and Bushes	"	57	to	59

An Open Invitation

The best and really only way to become acquainted with the methods by which we grow nursery stock to maintain our slogan "QUALITY FIRST" is to visit our nurseries. We are only seventeen miles from New York City, and Millburn station on the D., L. & W. Railroad is within walking distance from us. If the Pennsylvania Railroad is more convenient, get off at Elizabeth station and call us up at Millburn 152 and we can meet you there with a car. Street cars pass our office every half hour, giving direct communication with Elizabeth, Newark, Millburn and Summit. The auto roads are splendid in every direction, and we shall always be glad to show you around the nurseries—so come whenever you can.



